WATER WELL RECORD		Form W	WC-5	Division of Wat	ter Resources App. N	io. L	
	1 LOCATION OF WATER WELL: County: REPUBLIC		Fraction 1/4 SE 1/4 NW	/ ¼ SE ¼	Section Number 29		Range Number R 04 ☐E ☑W
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positionin	g System (GPS) is	nformation:
from nearest town or intersection: If at owner's address, check here .					Latitude: .39.758944(in decimal degrees)		
SHADY AND 90 RD NEAR SCANDIA							(in decimal degrees)
					Elevation:		
2 WATER WELL OWNER: MAURICE LERVOLD					☐ Datum: ☐ WGS : Collection Method:	84, 🗹 NAD 83, 🗀] NAD 27
RR#, Street Address, Box #: 760 KING ROAD)
	State, ZIP Code	10011111	IA, KS 66966				ic Map, \[\] Land Survey
•		OOAND			Est. Accuracy:	<3 m, 3-5 m,] 5-15 m, □ >15 m
3 LOCAT		4 DEPTH OF	COMPLETED WELL	- 60	۵		
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1).32 ft. (2) ft. (3)							(3) ft
SECTION BOX: Depth(s) Groundwater Encountered (1).32							(3)
Pump test data: Well water was 32ft. after hours pumping 1000							ping. 1000 gpm
	\ \\	EST. YIELD10	000gpm. Well wate	r was . 32	ft. after	hours pum	npinggpm
w NW -	W Bore Hole Diameter 28in. toft., andin. toft.						
	WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well						
sw-	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
							•••••
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: 🗹 Glued 🔲 Clamped 🔲 Welded 🔲 Threaded							
Casing diameter .16 in. to .20 ft., Diameter .15.000 in. to ft., Diameter in. to ft.							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel							
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot							
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)							
From							
GRAVEL PACK INTERVALS: From 40 ft. to 60 ft., From ft. to ft.							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Grout Intervals: From .0 ft. to .20 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
Septic tank							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Gil well/gas well							
					from well		
	TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	.OG (cont.) <u>or</u> PLU	JGGING INTERVALS
0 5		OIL					
5 9				ļ			
		/ GRAVEL					
		WITH CLAY LAY	YERS				
	3 CLAY	/ ODAV/EL				<u></u>	
		Y GRAVEL WITH CLAY LAY	/EDC				
		WITH CLAT LAT					
30 0	OLAT	WITH SAIND LA	ILIO	 			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .4/16/2014 and this record is true to the best of my/knowledge and belief.							
Kansas Water Well Contractor's License No. 480 This Water Well Record was completed on (mo/day/ye/r). 16/2014							
under the business name ofWILLIAMS DRILLING COINC							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html