	WELL R		n WWC-5		vision of Water			
	l Record		ange in Well Use		ources App. No.		Vell ID	
1 LOCATION OF WATER WELL:			Fraction		ction Number	Township Number	Range Number R 4 □ E ■ W	
County								
Business	OWNER: 1	ast Name: LARSON	First: ROBERT			ere well is located (if the ersection): If at owner's a		
Address Address P.O. BOX 260 ONE AND HALF MILES SOUTH OF SCANDIA ON 9							IA ON 90TH ROAD	
Address P O BOX 260 City: SCANDIA State			S ZIP 66966	TO ROCK	ROAD			
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 60 ft. 5 Latitude: 39.7739083 (decimal degr								
WITH "	N BOX:		ter Encountered: 1)		Longitude: -97.7678833 (decimal degrees)			
I .	N BOAL	2)					■ NAD 83 □ NAD 27	
		WELL'S STATIC WATER LEVEL:37ft. Source for Latitude/Longitude: ■ below land surface, measured on (mo-day-yr)						
1 1	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	_	ace, measured on (mo-da		(WAAS enabled? \[Yes \] No)			
NW NF		Pump test data: Well water was			☐ Land Survey ☐ Topographic Map			
W E		after2 hours pumping 40 gpm			Online Mapper:			
SW SP		Well water was ft.						
		after hours pumping					Ground Level 🔲 TOC	
S		Bore Hole Diameter	ft. and					
1	mile		in. to ft.					
7 WELL WATER TO BE USED AS:								
1. Domestic		5. Public	Water Supply: well ID.	••••		ield Water Supply: lease		
House	hold & Garden		ering: how many wells? r Recharge: well ID		11. Test Hole: well ID			
Livest			oring: well ID			12. Geothermal: how many bores?		
							☐ Vertical	
3. ■ Feedlot ☐ Air Sparg			arge Soil Vapo	e ☐ Soil Vapor Extraction b) Open Loop ☐ Surface Discharge ☐ Inj.				
4. 🗌 Indust	rial	☐ Recove	ery Injection		13. 🔲 Other	(specify):		
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
Water well disinfected? ■ Yes □ No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 6 in. to 6								
Casing height above land surface 12 in. Weight 3.672 lbs/ft. Wall thickness or gauge No280								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galyanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) ☐ Louvered Shutter ■ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 40 ft. to 60 ft. From ft. to ft. from ft. to ft. ft. from ft. to ft. ft. from ft.								
GRAVEL PACK INTERVALS: From 20 ft. to 60 ft., From ft. to ft. From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. ft.								
	•	le contamination:						
☐ Septic		□ Lateral I □ Cess Poo			Livestock Pens	☐ Insecticide		
_	tight Sewer Li] Fuel Storage] Fertilizer Storag			
Other	(Specify) .E.E	EDLOT LAGOON				_		
			Distance from	well?325				
10 FROM	ТО		AGIC LOG	FROM	TO LI	THO, LOG (cont.) or PL	UGGING INTERVALS	
0		TOP SOIL						
6 33		TAN CLAY			-			
		SAND STONE			 			
54 55		MEDIUM SAND SHALE						
33	02	SHALE			 			
	 			Notes:				
	CASED AT 60FT							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) .0.7/1.1/20.17 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 480 This Water Well Record was completed on (moday-year) .08/20/20.19								
under the business name of WILLIAMS DRILLING CO. INC. Signature								
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section.								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at		1 1 1		KSA 82a-1	212		Revised 7/10/2015	