WAIL	K WELL	RECORD	rorm	W W C-5	Divis	non or wa	iter Resou	irces, App. No	· L		
1 LOC	ATION OF	WATER WELL:	Fraction NW 4	SE ¼	SW ¼	ection Nu 22	umber	Township N	lumber S	Range Number	
Distance	and direction	Cheyenne on from nearest town	or city stree	t address of	well if Gl	obal Pos	itioning	System (dec	imal degr	ees, min. of 4 digits)	
located w	vithin city?	70ft SW of 201 E. W	ashington, S	t. Francis K		atitude: ongitude		77356° 1.80031°			
		OWNER: The S		E	Elevation: RIM: 3307.39; TOC: 3307.16						
RR#,	St. Address	, Box # : 285 E - Code : Colby									
3 LOC	ATE WEL	L'S 4 DEPTH O	F COMPLE	TED WEL	L 14.95				survey		
	ATON					MW4					
	H AN "X"	IN Depth(s) Grou	ndwater Enco	ountered 1			ft. 2		ft. 3	ft.	
SECT	TION BOX	: WELL'S STA	Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 9.21 ft. below land surface measured on mo/day/yr 8/22/12								
	N	Pum	Pump test data: Well water was ft. after hours pumping gpm								
		Est. Yield	Est. Yield gpm: Well water was ft. after hours pumping gpm								
	N	WELL WATE	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
w		E 2 Irrigation 4	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (0)Monitoring well								
l Lsi	y — sE –		masurar	Domestic	(14 111 6 6	ii den)	9	ioning won			
, `X		Was a chemica	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs								
	S	Sample was su	bmitted			V	Vater We	ell Disinfecte	d? Yes	No <u>X</u>	
5 TYPE	E OF CASI	NC HEED. 5	Wrought Ire		2 Concrete	tila	CASE	NG IOINTS	Glued	Clamped	
1 St	eel	3 RMP (SR) 6 4 ABS 7	Asbestos-Co	ement	9 Other (sp	pecify be	low)		Welde	d	
(2) PV	VC	4 ABS 7	Fiberglass	.				D'	Threac	led X	
Blank casing diameter 2 in to 4.95 ft., Dia in to ft., Dia in to										tot.	
Casing he	PVC 4 ABS 7 Fiberglass Threaded X k casing diameter 2 in. to 4.95 ft., Dia in. to ft., Dia in. to ft. ng height below land surface 0.23 ft., Weight Ibs./ft. Wall thickness or gauge No. E OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
1 St	eel 3 Sta	inless steel 5 Fi	berglass (7) PVC	9 AE	BS		11 Other (s	pecify)		
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 4.95 ft. to 14.95 ft. From ft. to ft.											
SCREEN	-PERFORA	TED INTERVALS	: From	4.95	ft. to	14.95	ft. Fro	m	ft. to	o ft.	
		CK INTERVALS:	From		ft. to		. ft. Fro	m	ft. to	ft.	
GF	RAVEL PA	CK INTERVALS:	From	3	ft. to	15.20	ft. Fro	m	ft. to	ft.	
			From		tt. to		ft. Fro	m	It. to	oft.	
6 GRO	UT MATE	RIAL: 1 Neat cer	nent 2 Cen	nent grout	(3) Benton	ite (4	Other	Concrete: 0	-1ft		
Grout Intervals From 1 ft. to 3 ft. From ft. to ft. From ft. to ft.											
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify											
	ver lines	5 Cess poo						ndoned water		below)	
2 Sewer lines 5 Cess pool 8 Sewage lagoon (11) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well											
Direction	from well?	NE		I	How many	feet? ~9	0ft				
FROM	TO	LITHO	LOGIC LOG		FROM	ТО		PLUGGIN	ig inte	ERVALS	
0	0.3	Asphalt									
0.3	15.20	Fine clayey sand									
							Flushm	ount waiver	from B	OW	
7 CONT	D A CTOP'S	S OR LANDOWN	EDIC CEDA	TEICATIO	N. This	tow 11-11-	1	notmusted (2)		oted on (2) =11	
		S OR LANDOWN and was completed on (JN: This wa					nowledge and belief	
Kansas Wa	ter Well Cor	ntractor's License No.	757					or (mc/day/y		0/3/12	
		e of Larsen & Asse			by (signatu			T		·	
INSTRUCT	TONS: Please	e fill in blanks or circle the Jackson St., Suite 420,	Toneka Kansas	rs. Send top t	hree copies to	Kansas De	partment o	of Hearth and En	vironmen	t, Bureau of Water,	
vour records	Fee of \$5 Of	for each constructed we	1 Visit us at ht	m://www.kdh	eks.gov/water	well.	oone on			and return one for	