KOLAR Document ID: 1482084

	WELL R			WWC-5			vision of Wat					
		Correction		e in Well Use			ources App. 1			Well ID		
1 LOCATION OF WATER WELL: Fraction						ction Numb	er	Township Numb		ange Number		
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						1⁄4		$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
	ast Name:		First:		reet or Rural Address where well is located (if unknown, distance and							
Business: Address:										, check here:		
Address:												
City:			State:	ZIP:								
3 LOCATE WELL WITH WY IN 4 DEPTH OF COMPLETED WELL:							t 5 Tatit	ndo			(1	
	WITH "A" IN Donth(a) Groundwater Encountered: 1)											
	SECTION BOX: N 2) ft. 3) ft., or 4) [
	•	WELL'S STATIC WATER LEVEL:						Source for Latitude/Longitude:				
X		below land surface, measured on (mo-day-yr)					0	GPS (unit make/model:)				
NW	NE	above land surface, measured on (mo-day-yr).				r)		(WAAS enabled? \Box Yes \Box No)				
		Pump test data: Well water was ft.						□ Land Survey □ Topographic Map □ Online Mapper:				
W	E	alter	after hours pumping gpi Well water was ft.					Jnlin	e Mapper:	• • • • • • • • • • • • • • • • • • • •		
SW	SE	after	after hours pumping									
			Estimated Yield:gpm					6 Elevation:ft. Ground Level TOC				
	Bore Hole I	Bore Hole Diameter: in. to f			ft. and	Source	Source: Land Survey GPS Topographic Mag Other					
1 r				in. to		. ft.] Other	•••••		
7 WELL WATER TO BE USED AS:												
1. Domestic: 5. □ Public Water Supply: well ID												
House		Dewatering: how many wells? Aquifer Recharge: well ID										
				ng: well ID								
	2. ☐ Irrigation 9. Environmental Remediation: well ID .											
	3. \Box Feedlot \Box Air Sparge \Box Soil Vapor Ez							b) Open Loop 🗌 Surface Discharge 🗍 Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? \Box Yes \Box No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steel PVC Other (Specify)												
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.												
				Cement grout								
				ft., From	ft	. to	ft., From	ı	ft. to	ft.		
	rce of possibl			potential source of o						1.0		
☐ Septic ☐ Sewer			Lateral Line Cess Pool	es		_] Livestock Po] Fuel Storage		☐ Insection ☐ Abando			
	ight Sewer Lir			☐ Sewage ☐ Feedyar			Fertilizer Storage					
□ Other (Specify)												
				Distance from				<u></u> .	ft.			
10 FROM	ТО	Ι	JTHOLOG	GIC LOG		FROM	ТО	LIT	THO. LOG (cont.) of	PLUGGI	NG INTERVALS	
	├											
	├											
	├					Notes:		I				
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my ju	urisdiction ar	nd was compl	leted on (n	no-day-year)		and	l this record	is tru	ue to the best of m	y knowle	dge and belief.	
Kansas Wa	ter Well Con	tractor's Lice	ense No	This `	Wate	er Well Re	cord was co	mple	eted on (mo-day-y	ear)		
under the b	usiness name	ot	WATED W	ELL OWNED and rate	 in		orda Eaf [¢]	5 00 4	for analy constructed			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
-	ttp://www.kdhe			,			,	· · r·	,		SA 82a-1212	