

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

MW-25

Original Record Correction Change in Well Use

Well ID

1 LOCATION OF WATER WELL: County: Cheyenne Fraction NW 1/4 NW 1/4 SW 1/4 SW 1/4 Section Number 22 Township Number T 3 S Range Number R 40 E W

2 WELL OWNER: Last Name: St. Francis Senior Center Business: St. Francis Senior Center Address: P.O. Box 254 City: St. Francis State: KS ZIP: 67756 Street or Rural Address where well is located: 320 W. Washington, St. Francis

3 LOCATE WELL WITH 'X' IN SECTION BOX: [Diagram showing a 3x3 grid with 'X' in the SW cell] 4 DEPTH OF COMPLETED WELL: 22 ft. 5 Latitude: 39.77437 Longitude: 100.80496

7 WELL WATER TO BE USED AS: 1. Domestic: [ ] Household [ ] Lawn & Garden [ ] Livestock 2. [ ] Irrigation 3. [ ] Feedlot 4. [ ] Industrial 5. [ ] Public Water Supply: well ID 6. [ ] Dewatering: how many wells? 7. [ ] Aquifer Recharge: well ID 8. [X] Monitoring: well ID MW-25 9. Environmental Remediation: well ID [ ] Air Sparge [ ] Soil Vapor Extraction [ ] Recovery [ ] Injection 10. [ ] Oil Field Water Supply: lease 11. Test Hole: well ID [ ] Cased [ ] Uncased [ ] Geotechnical 12. Geothermal: how many bores? a) Closed Loop [ ] Horizontal [ ] Vertical b) Open Loop [ ] Surface Discharge [ ] Inj. of Water 13. [ ] Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? [ ] Yes [X] No If yes, date sample was submitted: Water well disinfected? [ ] Yes [X] No

8 TYPE OF CASING USED: [ ] Steel [X] PVC [ ] Other CASING JOINTS: [ ] Glued [ ] Clamped [ ] Welded [X] Threaded Casing diameter 4 in. to 12 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 4 in. Weight lbs./ft. Wall thickness or gauge No. Sch 40 TYPE OF SCREEN OR PERFORATION MATERIAL: [ ] Steel [ ] Stainless Steel [ ] Fiberglass [X] PVC [ ] Brass [ ] Galvanized Steel [ ] Concrete tile [ ] None used (open hole) [ ] Other (Specify) SCREEN OR PERFORATION OPENINGS ARE: [ ] Continuous Slot [X] Mill Slot 0.020" [ ] Gauze Wrapped [ ] Torch Cut [ ] Drilled Holes [ ] Other (Specify) [ ] Louvered Shutter [ ] Key Punched [ ] Wire Wrapped [ ] Saw Cut [ ] None (Open Hole) SCREEN-PERFORATED INTERVALS: From 12 ft. to 22 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 10 ft. to 22 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: [ ] Neat cement [ ] Cement grout [X] Bentonite [ ] Other Grout Intervals: From 1 ft. to 10 ft., From ft. to ft., From ft. to ft. Nearest source of possible contamination: [ ] Septic Tank [ ] Laterals Lines [ ] Pit Privy [ ] Livestock Pens [ ] Insecticide Storage [ ] Sewer Lines [ ] Cess Pool [ ] Sewage Lagoon [X] Fuel Storage [ ] Abandoned Water Well [ ] Watertight Sewer Lines [ ] Seepage Pit [ ] Feedyard [ ] Fertilizer Storage [ ] Oil Well/Gas Well [ ] Other (Specify) Direction from well? Distance from well? ft.

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0-0.5 Concrete, 0.5-9.0 Sand, 9.0-12.0 Silt, 16.0-23.0 Sand. Notes: St. Francis Mercantile Equity Exchange KDHE project code: U6-012-14962

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [X] constructed, [ ] reconstructed, or [ ] plugged under my jurisdiction and was completed on (mo-day-year) 2/20/2020 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 881. This Water Well Record was completed on (mo-day-year) 3/26/2020 under the business name of Woofert Pump & Well Signature: [Signature]