2		WA	TER WELL REC	ORD F	orm WWC-5	KSA 82a-1	212 ID N	0				
1 LOCAT	3.4	TER WELL:	Fraction SE 14.	\$E	NE 1/2	Sec	tion Number	Township N	lumber S	Range Number		
			vn or city street a			vithin city?				C.L		
鱼	" mile	inst their	US36.	13. KL		•	1 1m	le boack	ws	68 W.		
			ryen	•	• •			D 4 A		No de la constanta de la Const		
City, State,		SLEVO	ox 388 McV, KS C	7750	•	+20		Application	Number:	Division of Water Resources		
			4 DEPTH OF C	OMPLETE	DWELL	1 10	ft. ELEVA	TION:				
AN "X" IN	SECTION N	BOX:	Depth(s) Groun							3 ft.		
	1	1								pumping gpm		
	1	1								pumping gpm		
	-NW	- NE	WELL WATER	٠.	DAS: 5 P	ublic water s	upply	8 Air conditioning	g 11 İ	njection well		
	; 1	_	Domestic	3 Fee		oil field water		9 Dewatering		Other (Specify below)		
w	1	<del> </del> E	2 Irrigation	4 Indi	istriai / L	omestic (law	n & garden)	TO Monitoring we	II			
	CM	-							.,			
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample water Well Disinfected? Yes No										no/day/yrs sample was sub- No		
	,		mitted				***	ater well Distillect	eu: 165			
	S											
		CASING USED:	٦١	5 Wrough	nt iron os-Cement	8 Concre				ed ded		
1 Steel 3 RMP (SR)  PVC 4 ABS				7 Fibergia		9 Other (specify below)						
		-5	in. to							ft.		
Casing hei	ght above la	and surface	Ja	in we	ight 160	- 20	20	lbs./ft. Wall thickn	ess or qua	ge No		
TYPE OF SCREEN OR PERFORATION MATERIAL:					· 9· · · · · · · · · · · · · · · · · ·	~	<b>△</b> S			O Asbestos-Cement		
1 Steel 3 Stainless Steel				5 Fibergl	ass	8 RM	P (SR)		11 Other (Specify)			
2 Bras	S	4 Galvaniz	ed Steel	6 Concre	te tile	9 ABS	5	12 No	ne used (o	pen hole)		
SCREEN C	OR PERFOR	RATION OPENIN	IGS ARE:		5 Guaze	ed wrapped		8 Saw cut		11 None (open hole)		
1 Con	tinuous slot	<b>€</b> }\	lill slot		6 Wire v			9 Drilled holes		,		
2 Louv	vered shutte	r 4K	ey punched	12	7 Torch	4.				ft.		
SCREEN-F	PERFORAT	ED INTERVALS:	From	30	ft. to	110	ft., From		ft. to	)ft.		
, ,	SDAVEL DA	CK INTERVALS	From	<b>*</b>	ft. to	70	ft., From		ft. to	)ft. )ft.		
,	JHAVEL PA	CK INTERVALS								>ft.		
6 GROU	IT MATERIA			2 Cem		3 Bent						
Grout Inter	vals: From	n <i>O</i>	ft. to	<b>)</b> ft.,	From	ft. to		ft., From		ft. toft.		
What is the	e nearest so	urce of possible	contamination:				10 Lives	tock pens	14	Abandoned water well		
1 Septic tank 4 Lateral lines			ral lines	7 Pit privy			11 Fuel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool			8 Sewage lagoon		-	12 Fertilizer storage		16 (	16 Other (specify below)			
	ertight sewe	er lines 6 Seep	age pit	9 Feedyard			13 Insecticide storage					
Direction fr							How mar					
FROM	то	410	LITHOLOGIC	LOG		FROM	ТО	PL	UGGING IN	ITERVALS		
<u> </u>	20	cla	<del></del>									
70	80	med	Grave!									
80	100	med	Grave							The state of the s		
100	120	State		STORE								
130	130		me m	9rov	er Er					2.900		
130	140		tone			ß				AND THE RESIDENCE OF THE PROPERTY OF THE PROPE		
1460	160	(Sand Ston		med	grave	FIRE						
160	170	gravel	med .	el l						THE STATE OF THE S		
170	172	oat Ke	r. Black	Shod	-							
				***************************************								
			****									
7												
			R'S CERTIFICA	ION: <b>科教</b>						der my jurisdiction and was		
completed.c										nowledge and belief. Kansas		
	College of Brown Contrate of	Licence No	uell.		i nis vvater )	weir Hecord	* *** ** */	d on (mo/day/yr) . signature)		0.=06		
	usiness nar		eox mello	1119		ust 1933 bit 18	3.45		A and	MILLOX		
										s to Kansas Department of Health ER and retain one for your		
		each constructed well								•		