2211	ozŝ	MW-25	WATE	R WELL RECORD	Form WWC-5	KSA 82	a-1212			
1 LOCATI	ON OF WAT	TER WELL:	Fraction		Sect	tion Number	Township Nu	mber	Range	Number
County:	Repul	olic	NW 1/4	SW 1/4 N	E 1/4	18	<u> </u>	s	R	E Ø
				ddress of well if locate			. 04 1	6		
d	10'W 4	50'N of	NOU (or	ner of four	th Street	4 Eq.	it Kailroad	treet		
2 WATER	R WELL OW	NER: Kansas Do	partment of	= Health and Env	ivonment, f	Buteau &F	Remediation	1		
RR#, St.	Address, Bo	* # : Forbes F	iceld, Buil	ding 740					Division of Wa	ater Resources
City, State	, ZIP Code	: TOPEKA	KS 666	20-0001	. <u></u>		Application	Number:		
3 LOCATI	E WELL'S L	OCATION WITH 4	DEPTH OF C	OMPLETED WELL.	145	. ft. ELEVA	ATION:			
AN "X"	IN SECTION	A BOX:	Depth(s) Ground	water Encountered		43.ft.	2	ft. 3		ر . ft. ا
ı T	1			WATER LEVEL #						
ı İ	1			test data: Well water						
	- NW	 		gpm: Well wat						
ا ا	i			eterin. to						
N	ı			O BE USED AS:	5 Public water		8 Air conditioning		Injection well	1
7	1	1 1	1 Domestic	3 Feedlot	6 Oil field water	er supply	9 Dewatering	12	Other (Specif	fy below)
-	- SW	25	2 Irrigation	4 Industrial			0 Monitoring well			
1 1	i	l i l v	Vas a chemical/l	bacteriological sample	_	-				i
1 -			nitted				ater Well Disinfected	-		.
5 TYPE (OF BLANK (CASING USED:		5 Wrought iron	8 Concre		CASING JOIN			mped
 1 Ste		3 RMP (SR)	1	6 Asbestos-Cement	9 Other (specify belo	w)	Weld	ed	
(2 P)	-	4 ABS		7 Fiberglass		· -		Threa	aded	
Blank casi	ng diameter	(I.D.) 5.ir	n. to	139 ft., Dia					in. to	ft.
	-	and surface		.in., weight	2.39	lbs.	/ft. Wall thickness o	gauge N	0. 0.24	18
_	~	R PERFORATION	-		7 PVC	-		stos-ceme		
1 Ste	eel	3 Stainless s	steel	5 Fiberglass		P (SR)				
2 Bra	2 Brass 4 Galvanized steel 6 Concrete tile 9 AB:						SR) 11 Other (specify)			
SCREEN	OR PERFO	RATION OPENING	S ARE:		ed wrapped		8 Saw cut	(-,	11 None (o	pen hole)
1 Co	ontinuous slo	t a Mill	slot		wrapped		9 Drilled holes		(-	,
2 Lo	uvered shut	ter 4 Key	punched	7 Torcl			10 Other (specify)			
SCREEN-	PERFORATI	ED INTERVALS:		139. ft. to .	!	129.ft. Fro	·m	ft. t	0	
				ft. to .						
(GRAVEL PA	CK INTERVALS:		139 ft. to .						
			From	ft. to		ft., Fro		ft. t		ft.
6 GROUT	MATERIAL	.: 1 Neat ce	ment	2 Cement grout	3 Bentor	nite 4	Other			
Grout Inter	rvals: Fro	m145ft	1_6	ft., From	124 ft 1	الله و ١٠٠٠	A. ft., From	110	ft. to	. Dft.
What is th	e nearest so	ource of possible co	ontamination:		Bentonite	10 Lives	stock pens	14 A	bandoned wa	ater well
1 Septic tank 4 Lateral lines						11 Fuel	*	15 C	il well/Gas w	ell
2 Sewer lines 5 Cess pool							lizer storage		ther (specify	1
3 W	atertight sew	er lines 6 Seepag	ge pit	9 Feedyard			~	N4		
Direction f	rom well?	NA		•			ıny feet? ∧∕ Д	•		1
FROM	TO		LITHOLOGIC	LOG	FROM	то		JGGING I	NTERVALS	
O	56	Brown si	ITY Clay							
56	59	COATSE GIATARD, P	ocily sorted	sund					THE RESERVE AND ADDRESS OF THE PARTY OF THE	
59	87	bedung say sh	ale with	red motiles						
87	143			itz sandstone	. 1					
143	145	gray s								
	l		7.540							
									-	
							THE PERSON OF THE PERSON NAMED AND ADDRESS OF THE PERSON NAMED ADDRESS OF THE PERSON NAMED AND			
					1					
		•				-				
									A 80 M C C C C C C C C C C C C C C C C C C	
	.									
7 CONT	PACTOR'S (DELANDONANIEDY	C (CEDTICIOATI	ON. This water	11)	1			dan tota . t	
		OR LANDOWNER'S	S CERTIFICATI	ON: This water well w						
completed	on (mo/day	year)	18-99			and this reco	ord is true to the bes	t of my kn	owledge and	
completed Water Wel	on (mo/day/ I Contractor	year)	18-99 531	ON: This water well w		and this reco	ord is true to the best on (mo/day/yr)		owledge and	
completed Water Wel under the	on (mo/day, I Contractor business na	year)	18-99 531 3SI		Vell Record was	and this reco s completed by (signa	ord is true to the bes on (mo/day/yr) ature)	t of my kn 8-/6	owledge and	belief. Kansas