		WELL RECORD F	orm WWC-5	KSA 82a-	1212	
1 LOCATION OF WATER WELL:				tion Number	Township Number	Range Number
County: Phillins	NW 1/4	NW 1/4 SE	1/4	35	т 4 s	R 16 (W)
Distance and direction from neare				•		
2 miles	East 1	19 South	Pira	WIR		
2 WATER WELL OWNER:	David U	142:11				
RR#, St. Address, Box # :	P IV				Board of Agriculture	, Division of Water Resources
City, State, ZIP Code :		Kirwi	v· Ks	;	Application Number:	
	WITH A DEPTH OF CO.	MPLETED WELL 1	12'	ft FLEVAT	ION.	
J LOCATE WELL'S LOCATION V AN "X" IN SECTION BOX:	Depth(s) Groundw	ater Encountered 1	24'	ft 2	42' ft.	3ft.
	WELL'S STATIC V	VATER LEVEL 1./	,	elow land surf	ace measured on mo/day/s	1 1.0 -H-88
						pumping /. Ø gpm
NW NE	· Fet Viold 15	anm: Well water	was 4	t ft af	ter 1 hours r	oumping 10 gpm
	Porc Holo Diamete	gpm. vveli water	was	۱۱. aı	ter Hours	in. toft.
× I W I	WELL WATER TO	•				1 Injection well
-	1 1		Public water			
SW SE	1 Domestic					2 Other (Specify below)
	2 Irrigation					
		icteriological sample su	ibmitted to De			s, mo/day/yr sample was sub-
<u> </u>	mitted				er Well Disinfected? Yes	
5 TYPE OF BLANK CASING US		=	8 Concre			ed X Clamped
	, ,	6 Asbestos-Cement		(specify below	,	Ided
2 PVC 4 AB		7 Fiberglass		• • • • • • • • • •		eaded
Blank casing diameter 5. ".	in. to #	ft., Dia	in. to		ft., Dia	. in. to ft.
Casing height above land surface		n., weight /. 60	· · · · · · · · · · · ·	lbs./f	t. Wall thickness or gauge	No
TYPE OF SCREEN OR PERFOR	ATION MATERIAL:		7. <u>PV</u>		10 Asbestos-cer	nent
1 Steel 3 Sta	ainless steel	5 Fiberglass	8 RM	IP (SR)	11 Other (specif	y)
2 Brass 4 Ga	Ivanized steel	6 Concrete tile	9 AB	S	12 None used (d	ppen hole)
SCREEN OR PERFORATION OP	ENINGS ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w	rapped		9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch				
SCREEN-PERFORATED INTERV	ALS: From					toft.
	From	ft. to	<u>.</u>	ft., Fron	n ft.	toft.
GRAVEL PACK INTERV	ALS: From	2 ft. to	42	ft., Fron	n ft.	toft.
	From	ft. to		ft., Fron	n ft.	to ft.
		Cement grout				
Grout Intervals: From	ft. to . 2.0	ft., From	ft.	to	ft., From	ft. toft.
What is the nearest source of pos	sible contamination:			10 Livest	ock pens 14	Abandoned water well
1 Septic tank 4				11 Fuel storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool None 8 Sewage lago			on 12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard			on 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage			
Direction from well?				How mar	ny feet?	
FROM TO	LITHOLOGIC LO	OG	FROM	ТО	LITHOLO	OGIC LOG
05 31	Soil					
3 20 Ci	Ay Rock					A Company
20 42 SAN	of GRAVEL					
42 541					'	
	V-					
					1,000 100 1,000 1 - 100	
					'	
				-		
<u> </u>				L		
7 CONTRACTOR'S OR LANDO	WNER'S CERTIFICATIO	N: This water well wa	s (1) constru	cted, (2) reco	nstructed, or (3) plugged u	nder my jurisdiction and was
completed on (mo/day/year)	10-14-88					knowledge and belief. Kansas
Water Well Contractor's License N		This Water We	ell Record wa	s completed of	on (mo/day/ym) . 10=3	1-88
under the business name of	Kedmin U	rilline		by (signat	ure) 10 /2000 (eli-eie
INSTRUCTIONS: Use typewriter o				y. Please fill ir	blanks, underline or circle	
three copies to Kansas Department OWNER and retain one for your	t of Health and Environme	ent, Division of Environr	nent, Environ	mental Geolog	y Section, Topeka, KS 6662	0. Send one to WATER WELL
CHARLET GIRL TELGIT OHE TO YOUR	ooius.					