KOLAR Document ID: 1376882

	WELL R			WWC-5		vision of Wat					
U		Correction		ge in Well Use		sources App. 1			Well ID		
				Fraction	Section Number			Township Numb		ge Number	
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						1 4 1 1					
2 WELL Business:		ast Name:		First:		treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:					
Address:					direction from	rection from hearest town of intersection). If at owner's address, check here.					
Address:											
City:		•	State:	ZIP:							
3 LOCATE WELL WITTH WY IN 4 DEPTH OF COMPLETED WELL:						t. 5 Latit	nde.			(decimal degrees)	
	WITH "X" IN SECTION BOX:									-	
N 2) ft.				3) ft., or 4)				WGS 84 🗌 NAI		AD 27	
	· · · · · · · · ·	WELL'S ST					Latitude/Longitude				
				-yr) -yr)			unit make/model:				
NW	NE	Pump test d				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
w	×Ε	~	hours			Online Mapper:					
			Well w	ft.							
SW	SE		after hours pumping gp			6 Elevation:ft. Ground Level TOC					
	S	Estimated Yield:gpm			£1	Source: Land Survey GPS Topographic Map					
		Bore Hole Diameter: in. to									
1 mile											
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease											
House			6. Dewatering: how many wells?				11. Test Hole: well ID				
🗌 Lawn d		7. 🗆	7. 🗌 Aquifer Recharge: well ID				Cased Uncased Geotechnical				
	Livestock 8. Monitoring: well ID										
2. ☐ Irrigati 3. ☐ Feedlo	2. ☐ Irrigation 9. Environmental Remediation: well I						a) Closed Loop 🔲 Horizontal 🗌 Vertical				
					Extraction	Extraction b) Open Loop					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? \square Yes \square No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
		e contaminati			-	1 I :			: J. C		
Septic '			Lateral Line Cess Pool	es		Livestock Po Fuel Storage			vide Storage		
	ight Sewer Lii		Seepage Pit			Fertilizer Storage			ll/Gas Well	wen	
□ Other (Specify)											
Direction from well? ft.											
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my i	urisdiction a	id was compl	leted on (m	no-day-year)	and and	this record	is tru	ie to the best of m	v knowled	ge and belief	
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This W	ater Well Re	cord was co	mple	ted on (mo-day-ye	ear)		
	usiness name	e of									
KS Departm				ELL OWNER and retain						785-296-3565	
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										