KOLAR Document ID: 1429693

	WELL R	ECORD Correction		WWC-5 ge in Well Use		vision of Wat ources App.			Well ID		
		ATER WEL		Fraction		ction Numb		Township Numb		ge Number	
County: $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$							$\begin{array}{c c} T & S & R & \Box E & \Box W \end{array}$				
2 WELL Business: Address: Address: City:	OWNER: L		State:	First: ZIP:		treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
3 LOCATE WELL											
	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)										
	SECTION BOX. (1)										
R R R R R R R R R R R R R R R R R R R	WELL'S STATIC WATER LEVEL:										
	K			yr)	· 🗌 🗌	GPS (ur	nit make/model:				
NW	NE			yr) +		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
w	E	-	Pump test data: Well water was ft. after hours pumping gpm								
			t.		Online Mapper:						
SW	SE		hours	gpm	6 Flov	6 Elevation:ft. Ground Level TOC					
	s	Estimated Y Bore Hole D		ft and		Source: Land Survey GPS Topographic Map					
1 n	~	BOIE HOIE L			bour						
1 mile in. to ft. Other											
1. Domestic: 5.											
	☐ Household 6. ☐ Dewatering: how many wells										
Lawn a	Lawn & Garden7. Aquifer Recharge: well IDLivestock8. Monitoring: well ID						☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?				
2. 🗌 Irrigati							a) Closed Loop \square Horizontal \square Vertical				
3. 🗌 Feedlo	3. ☐ Feedlot				Extraction	b) (b) Open Loop 🔲 Surface Discharge 🔲 Inj. of Water				
4. Industrial Recovery Injection						13. 🗌 C	13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter ft., Diameter ft., Diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
	\Box Louvered Shutter \Box Key Punched \Box Wire Wrapped \Box Saw Cut \Box None (Open Hole)										
	SCREEN-PERFORATED INTERVALS: From ft. to ft., From										
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ft. From											
		e contaminati		potential source of con			n	II. to	π.		
Septic '			Lateral Line			Livestock P	Pens	☐ Insectic	ide Storage		
Sewer I			Cess Pool		goon 🗌	Fuel Storag		Abando		Well	
	ight Sewer Li			☐ Feedyard		Fertilizer St	torage	🗌 Oil Wel	ll/Gas Well		
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	TO		IO. LOG (cont.) or	PLUGGIN	G INTERVALS	
				Notes:	lotes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugge											
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
Kansas Wa	ter Well Cor	ntractor's Lice	ense No	This Wa	ater Well Red	cord was co	omplete	ed on (mo-day-ye	ear)		
under the b	usiness name	<u>e of</u>					he oo c	· · · · · · · · · · · · · · · · · · ·			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											