KOLAR Document ID: 1380129

	WELL R			WWC-5		ivision of Wat					
		Correction		ge in Well Use		sources App.			Well ID		
			Fraction	Section Number			Township Numb		ige Number		
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						unal Address	$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
2 WELL Business:		ast Name:		First:		rection from nearest town or intersection): If at owner's address, check here:					
Address:					uncetion non						
Address:			a								
City:			State:	ZIP:							
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:											
	SECTION BOX. Depth(s) Groundwater Encountered: 1)						Longitude:				
1	2) ft. 3) ft., or WELL'S STATIC WATER LEVEL:							WGS 84 INAI		(AD 27	
						Source for Latitude/Longitude:					
NW	NE			y-yr)		(WAAS enabled? \Box Yes \Box No)					
		Pump test d				Land Survey Topographic Map					
w	E	after	hours			□ Online Mapper:					
SW	SE	after	Well water wasft. after hours pumping								
	LLX		Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC					
	S	Bore Hole Diameter: in. to			ft. and	Source: Land Survey GPS Topographic M Other					
1 r				in. to	ft.			Other	<u></u>		
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
1. Domestic: 5. □ Public Water Supply: □ Household 6. □ Dewatering: how mail								Id Water Supply: lease well ID			
			7. Aquifer Recharge: well ID			\Box Cased \Box Uncased \Box Geotechnical					
					ll ID			al: how many bores			
2. 🗌 Irrigati				al Remediation: well I				Loop Horizont			
3. Effective Feedlot Air Sparge											
	4. Industrial Recovery Injection 13. Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage											
			Cess Pool	Sewage L		Fuel Storage			oned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Direction from well? ft.											
Direction fro 10 FROM	TO TO		ITHOLOG		FROM	ТО		ft. HO. LOG (cont.) or		CINTEDVALS	
IU FROM	10	I		GIULUG	FKUM	10		HO. LOG (colit.) of	PLUGGIN	JINTERVALS	
						1	1				
							L				
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my i	urisdiction a	nd was compl	leted on (n	no-day-year)	1113 wat	this record	is tru	ie to the best of m	y knowled	ge and belief.	
Kansas Wa	ter Well Cor	ntractor's Lice	ense No	This W	ater Well Re	ecord was co	mple	ted on (mo-day-ye	ear)		
under the b	usiness name	<u>e of</u>	WATED M	ELL OWNED and rate		oonda E- CA	5 00 0	on ooolo c====t=== (1		<u></u>	
KS Departr	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
-	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										