KOLAR Document ID: 1605965

	WELL R			WWC-5			sion of Wate						
		Correction		e in Well Use		1	irces App. N			Well ID			
1 LOCATION OF WATER WELL:			Fraction Sec $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$			ion Number Township Numb				ige Number			
						$\begin{array}{c c c c c c c c c } \hline I & I & I & I & I \\ \hline I \\ \hline I & I \\ \hline I \\ \hline I & I \\ \hline I \\ \hline I & I $							
							rection from nearest town or intersection): If at owner's address, check here:						
Address:								rection nonn nearest town of intersection). If at owner 5 address, eneck here.					
Address:													
City:			State:	ZIP:									
3 LOCATE WELL WITH WY IN 4 DEPTH OF COMPLETED WELL:							5 Latit	ude:			(decimal degrees)		
WITH "X" IN SECTION BOX: 4 DET IN OF COMILETED WELL. Depth(s) Groundwater Encountered: 1)						8					-		
	N 2) ft. 3) f					ell			WGS 84 🗌 NAI		NAD 27		
		WELL'S ST						Latitude/Longitude					
I		 below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr) 											
NW	NE	Pump test data: Well water was ft.				•••••	····· (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			0)			
w	Е	after					□ Online Mapper:						
		Well water was ft.											
SW	SE	after hours pumping					6 Elevation:ft. Ground Level TOC						
		Estimated Yield:gpm											
	S nile	Bore Hole Diameter: in. to				$\square Other \dots$							
1 mile													
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease													
	□ Household												
			Aquifer R	echarge: well ID			Cased Uncased Geotechnical						
	Livestock 8. Monitoring: well ID												
2. 🗌 Irrigati				al Remediation: well					Loop Horizont				
3. □ Feedlot □ Air Sparge 4. □ Industrial □ Recovery				Soil Vapor Extraction Injection			b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:													
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded													
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter													
Casing height above land surface in. Weight Ibs./ft. Wall thickness or gauge No.													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
□ Steel □ Stainless Steel □ PVC □ Other (Specify)													
Brass Galvanized Steel None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)													
				⁷ ire Wrapped □ S n ft. to	Saw Cut					ft to	ft		
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft. o ft. o ft. o ft. to ft. ft. to ft. to ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft													
				ft., From									
		e contaminatio		potential source of co									
Septic '			ateral Line				Livestock Pe			cide Storage			
Sewer]			Cess Pool	□ Sewage L			Fuel Storage			oned Water			
	ight Sewer Lin (Specify)		eepage Pit	Feedyard			Fertilizer Sto	orage		ll/Gas Well			
				Distance from					ft				
10 FROM	TO		ITHOLO		FRC		TO		HO. LOG (cont.) or		G INTERVALS		
Notes:													
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)													
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
		ks.gov/waterwell					, Sano 720,	- opt	, 1		SA 82a-1212		