

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD  
KSA 82a-1201-1215

BCC BCC

Kansas State Dept. Of Health  
(Water Well Contractors)  
Forbes-Bldg. 740  
Topeka, Kansas 66620


1 Location of well: County Rawlins Township name Arboret Fraction SW 1/4 of NW 1/4 Section number 35 Town number 4 Range number 33

Distance and direction from nearest town or city: 3 1/2 miles east of Chardon. 22  
Street address of well location if in city:

3 Owner of well: George Franklin  
Address: Atwood, 22

Locate with "X" in section below:  
N

Sketch map:



4 Well depth: 235 ft. Date of completion 7-75  
Well diameter 16 in.

5  Cable tool  Rotary  Driven  Dug  
 Hollow rod  Jetted  Bored  Reverse rotary

6 Use:  Domestic  Public supply  Industry  
 Irrigation  Air conditioning  Commercial  
 Test well

7 Casing: Material Steel Height: above/below  
Threaded  Welded  Surface 12 in.  
Diam. Weight 32 lbs./ft. L  
16 in. to 235 ft. depth Drive shoe?  Yes  No  
\_\_\_ in. to \_\_\_ ft. depth!

2	Type and color of material	From	To
	<u>top soil + clay</u>		<u>140</u>
<u>2'</u>	<u>porous rock + clay 6' loose porous rock</u>	<u>140</u>	<u>150</u>
	<u>2' rock</u>		
<u>3'</u>	<u>rock, 7' porous clay</u>	<u>150</u>	<u>160</u>
<u>1'</u>	<u>rock, 7' porous rock 2' clay</u>	<u>160</u>	<u>180</u>
<u>2'</u>	<u>clay 8' fine sand</u>	<u>180</u>	<u>190</u>
<u>3'</u>	<u>fine sand + clay 7' fine sand</u>	<u>190</u>	<u>200</u>
<u>5'</u>	<u>fine sand, little clay 5' porous rock + clay</u>	<u>200</u>	<u>210</u>
<u>2'</u>	<u>porous rock + clay, 5' fine sand</u>	<u>210</u>	<u>220</u>
	<u>3' gravel little clay</u>	<u>210</u>	<u>220</u>
<u>5'</u>	<u>gravel little clay 5' coarse gravel</u>	<u>220</u>	<u>230</u>
<u>2'</u>	<u>gravel 3' shale</u>	<u>230</u>	<u>235</u>

8 Screen: MID Brown Enterprises  
Manufacturer: Free Flow Dia. 16"  
Type: 13/16 Length 40'  
Slot/gauge: 19.5 ft. and 235 ft.  
Set between: 3/4"  
Fittings: 3/4"  
Gravel pack  Yes  No Size range of material: \_\_\_

9 Static water level: 160 ft. below land surface Date \_\_\_

10 Pumping level below land surfaces:  
220 ft. after 10 hrs. pumping 500 g.p.m.  
\_\_\_ ft. after \_\_\_ hrs. pumping \_\_\_ g.p.m.  
Estimated maximum yield 550 g.p.m.

11 Water sample submitted:  
 Yes  No Date \_\_\_

12 Well head completion: 12"  
 Pitless adapter  Inches above grade

13 Well grouted?  Yes  No Gravelled clay  
 Neat cement  Bentonite  Clay  
Depth: From 0 ft. to 10 ft.

14 Nearest source of possible contamination:  
ft. None Direction None Type \_\_\_  
Well disinfected upon completion?  Yes  No

15 Pump:  Not installed  
Manufacturer's name Water LAND ROLL  
Model number 10MC HP 75 Volts 440  
Length of drop pipe 220 ft. capacity 500 g.p.m.  
Type:  
 Submersible  Turbine  
 Jet  Reciprocating  
 Centrifugal  Other

16 Remarks: elevation

3111 (TOPO)  
3110

Topography:  
 Hill  
 Slope  
 Upland  
 Valley

17 Water well contractor's certification:  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
Jack Bone 197  
Business name McDonald License No. \_\_\_  
Address 22  
Signed Jack Bone Date 7-15-75  
Authorized representative