	WATE	R WELL RECORD F	Form WWC-5	KSA 82	!a-1212				
1 LOCATION OF WATER WELL:				tion Number	_ I	Township Number		nge Num	nber
County: Rawlins	SE 1/4		1/4	27	т 4	S	R	34	E/W)
Distance and direction from nearest to			within city?						
•	North of Co								
	lbur Leebr	ick							
RR#, St. Address, Box # : Rt	. 1				Board of Ag	jriculture, Γ	Division o	if Water F	Resources
City, State, ZIP Code : At	wood, Ks.	6773 <u>0</u>			Application	Number:			
I LOCATE WELL'S LOCATION WIT	HIAI DEPTH OF C	OMPLETED WELL	200	# FLEV					
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 200 ft. ELEVATION: AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1ft. 2ft. 3ft.									
WELL'S STATIC WATER LEVEL 117 ft. below land surface measured on mo/day/yr									
Pump test data: Well water was ft. after hours pumping gpm									
Est. Yield gpm: Well water was									
SW SE	1 Domestic	•			9 Dewatering				
	2 Irrigation	4 Industrial 7	Lawn and g	jarden only	10 Monitoring well	,			['
	Was a chemical/t	bacteriological sample su	ubmitted to De	apartment? \	YesNoX	; If yes,	mo/day/y	yr sample	e was sub
T S	mitted			<u>W</u>	ater Well Disinfected	? Yes		No X	
5 TYPE OF BLANK CASING USED	:	5 Wrought iron	8 Concre	ete tile	CASING JOIN	TS: Glued	ı.x	Clamped	ا ا
1 Steel 3 RMP (6 Asbestos-Cement	9 Other	(specify belo	ow)	Welde	ed		
2 PVC 4 ABS	,	7 Fiberglass		• •	· · · · · · · · · · · · · ·				
1									
Blank casing diameter 4 • 5 in. to 60 ft., Dia in. to ft., Dia ft.									
TYPE OF SCREEN OR PERFORATI		III., weight	7 PV			stos-ceme			
		5 Fiberologo							1
1 Steel 3 Stainle		5 Fiberglass		MP (SR)	11 Othe				
· ·	nized steel	6 Concrete tile	9 AB	S		e used (ope	•		
SCREEN OR PERFORATION OPEN			d wrapped			•	11 None	e (open i	hole)
	Mill slot		vrapped		9 Drilled holes				
	Key punched	7 Torch (cut		10 Other (specify)				
SCREEN-PERFORATED INTERVALS: From. 160 ft. to 200 ft., From ft. to ft.									
From. ft. to									
GRAVEL PACK INTERVAL	S: From	20 ft. to	200	ft., Fre	om	ft. to	5 <i>.</i>		ft.
	From	ft. to		ft., Fro		ft. to			ft.
6 GROUT MATERIAL: 1 Nea	at cement	2 Cement grout	3 Bento		4 Other				
Grout Intervals: FromQ									
What is the nearest source of possib		· · · · · · · · ·	• • • •		•	14 At			
	teral lines	7 Pit privy			el storage		il well/Ga		70
	ess pool	8 Sewage lago	~ ~		tilizer storage			cify belov	\
	ווע		•	10 0	mer (apo	City Doice	"		
3 Watertight sewer lines 6 Se		9 Feedyard			ecticide storage any feet? 40 1				
Direction from well? Norther	ast LITHOLOGIC I	100	FROM	How ma		UGGING IN	AITERVA!	10	
0 2 Surface		100	157	180	Clay w/Thi				
2 9 Loess				1		.II Jan	.u .c.	LRD.	
9 73 Sandy	Clau w/Cal	iche Strks.	180	187	Fine Sand				
9 73 Sandy	P Cray	AT W/Clay St	187	193	Sandy Clay				
		el w/Clay St	- · · · · · · ·	200	Fine to Me	id. Sa	.na		
79 79.5 Calich		- 3 OL-1-0	200	1	Ochre				
79.5 82 Cement	ed sand w/	Sand Strks.							
82 100 Sandy	Clay w/Cal	iche & Sand	T'						
100 109 Cement	ed Sand w/	Sand Strks.	T						
109 110 Clay &	Caliche		†						
		dy Clay&Sand	d						
	Clay & Cal								
117 120 Fine S	and w/Clav	% Caliche	+						
	and #/ 0/	<u>u ou</u>	+						
	Caliabo		+	 	 				
	Caliche		+	 					
147 157 Sandy Clay w/Caliche									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed on (mo/day/year) 4-9-94 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No									
under the business name of	Woofter Pu	ımp & Well, I	nc.	by (sign	nature) <u>Aw</u>	(1. WO)	HI		
								(ansas Dep	artment
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three codies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									