11.004-	CON OF 1111			H WELL HECORD			32a-1212		
-	TION OF WA		Fraction	NW.7		Section Numb	1	nip Number	Range Number
	Republic		NE 1/4		SW 1/4	28	<u> T</u>	4 s	R 4 XE/W
		from nearest town o		agress of well if loo	cated within cit	y?			
	l miles S	South of Norw	way, KS						
2 WATE	ER WELL OW	NER: Mikkel	Stensaas	3					
RR#, St.	Address, Bo	# : Rt. 2,	Box 41				Board	of Agriculture	Division of Water Resources
City, Stat	te, ZIP Code		lia, KS	66901				cation Number:	
					70	4 FI F	/ATION	auton namber.	
H AN "X	" IN SECTIO	N BOX:	DEFIN OF C	OMPLETED WELL		π. ELE	VATION:		
- 1) De	ptn(s) Ground	water Encountered	1		t. 2	ft. :	3
l f	i i	! WE	ELL'S STATIC	WATER LEVEL .	(5 1	t. below land s	surface measure	ed on mo/day/yr	3/14/98
	NW	_ Nis _	Pum	test data: Well v	water was	<i></i> ft.	. after	hours po	umping gpm
	1	, Est	t. Yield 1500	⁾ gpm: Well v	water was	ft.	. after	hours pi	umping gpm
W is	1	Boi	re Hole Diame	eter 30 in.	to 7.1		., and	ir	n. to
₹ "	X	ı]ˈ WE	ELL WATER T	O BE USED AS:	5 Public v	vater supply	8 Air condition	oning 11	Injection well
17	7		1 Domestic	3 Feedlot	6. Oil field	water supply	9 Dewaterin	12	Other (Specify below)
	2M	SE	X Irrigation	4 Industrial					
		i I wa	as a chemical/l	-					s, mo/day/yr sample was sub-
1 '		mit		sacronorogical samp	ore submitted to				
5 TYPE	OF BLANK C	ASING USED:	iled	E Mrought iven	0.0-		Vater Well Disin		
₽ -				•	8 Co				d Clamped
	iteel	3 RMP (SR)		6 Asbestos-Ceme		ner (specify be	•		ded
X P		4 ABS		7 Fiberglass					aded
Blank cas	sing diameter		to 30	ft., Dia	in.	to	ft., Dia .		in. to ft.
Casing h	eight above la	and surface12		.in., weight 1	.6 . 15	lb	s./ft. Wall thickn	ess or gauge N	lo . 500
TYPE OF	SCREEN O	R PERFORATION M	IATERIAL:		X	PVC	10	Asbestos-cem	ent
1 S	teel	3 Stainless ste	eel	5 Fiberglass	8	RMP (SR)	11	Other (specify)
28	rass	4 Galvanized s	steel	6 Concrete tile	9	ABS		None used (or	
SCREEN	OR PERFOR	RATION OPENINGS	ARE:	5 G	auzed wrappe	1	8 Saw cut		11 None (open hole)
1 C	ontinuous slo	t X Mill sl	lot		ire wrapped		9 Drilled ho	olae	vi viene (open noie)
2 L	ouvered shutt				orch cut				
						4 -	TO Other (s)	Decity)	toft.
CONLECT	T CITI OFFICE	D INTERIVALO.	From				rom	π	ιο
	CDAVEL DA	CK INTERVALO.	From		70	π., F	rom	π. ΄	toft.
	GRAVEL PAI								toft.
-T				ft. to					to ft.
—	IT MATERIAL		ent)	2 Cement grout	3 Be	ntonite	4 Other		
Grout Inte	ervals: Fror	n () ft. t	to 20	ft., From				m .	ft. to
		urce of possible con	tamination:	None withi	n 1/2 mi	le 10 Live	estock pens	14 A	bandoned water well
1 S	eptic tank	4 Lateral lin	nes	7 Pit privy		11 Fue	el storage	15 C	Dil well/Gas well
2 Sewer lines 5 Cess poo			ol				Fertilizer storage 16 Other (specify below)		
3 W	atertight sew	er lines 6 Seepage	pit	9 Feedyard	j	13 Ins	ecticide storage		
1	from well?		•	•			nany feet?		
FROM	то	L	LITHOLOGIC	LOG	FROM		larly lock:	PLUGGING 1	NTERVALS
0	2	Sandy Top S							
2	16	Fine Brown							
16	35	Medium to (
	1 1				 		 		
35	57	Coarse Sand		iver - Gray			- 		
_ 57	61	Brown Clay							
61	68	Fine to Coa		i - Brown					
68	71	Gray Clay							
	ļ								
								·	
			2011/9/20			1	.9. 1	3 - /- /	
	1							*	
	 				-		 	·	
	1			- 17-44			_		
							•	•	
	11								
7 CONT	RACTOR'S C	R LANDOWNER'S	CERTIFICATION	ON: This water wel	I was X1) cons	tructed (2) re	constructed or	(3) plugged up	der my jurisdiction and was
	on (mo/day/	(ear) 3/14/C	98			and this re-	cord is true to the	o boot of	owledge and belief. Kansas
Water We	ell Contractor's	License No1.3	38	This Mea-	r Woll Desert	. and this fet	cord is true to th	2/16/00)
					vveii mecord				
		ne of Petersor					nature)		wo
			DI EXCE DDECC EI	PMI V and PRINT clearly	Please fill in blan	ks underline or cir	cle the correct answ	ers. Send ton three	copies to Kansas Department