WATER WELL RECORD		Form WWC-5		Division of Water	r Resources App. No).	
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number	
Cour	ity: REI	PUBLIC	1/4 1/4	1/4 SE 1/4	4	T 4 S	R 4 □E ☑W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
from nearest town or intersection: If at owner's address, check here . Latitude: .39.55.1861439729843 (in decimal degree							1.3. (in decimal degrees)
UNION ROAD AND 90 RD					Longitude: 97.4094444 - 97. 76.80 6.7. (in decimal degrees)		
NEAR NORWAY, KS					Elevation:		
2 WATER WELL OWNER: JAMES NORRIS					Datum: WGS 84, W NAD 83, NAD 27 Collection Method:		
		OAIVIEC	SON AVE GPS unit (Make/Model:			ì	
		MD C 1	Y, KS 66961		Digital Map/Pho	oto. Topographic	Map, Land Survey
		NORVV	(1, NS 00901		Est. Accuracy: \square <	3 m, 3-5 m, 3	5-15 m,
3 LOCATE WELL							
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 80 ft.						
SEC	Depth(s) Groundwater Encountered (1)						
	Pump test data: Well water was 23						
'							
w NV	1 ''' '''' 1						
"	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
3	Irrigation Industrial Domestic-lawn & garden Monitoring well						
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted							
	1 mile	Water well disin	fected? Yes	No			
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: ✓ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter .16 in. to .92 ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From 40 ft. to .80 ft., From ft. to ft.							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout							
Grout Intervals: From 40 ft. to 80 ft., From ft. to ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination: □ Septic tank □ Lateral lines □ Pit privy □ Livestock pens □ Insecticide storage □ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
		ht sewer lines 🔲 Seepage p	it 🗌 Feedyard	Fertilizer sto		s well	
		n well					
FROM		LITHOLOG	IC LOG	FROM	TO LITHO. LC	OG (cont.) <u>or</u> PLUC	GGING INTERVALS
0	5	TOP SOIL	***************************************				
5	20	SAND					
20	55	SANDY GRAVEL		-			
55	57	GRAVEL			w.		
57	60	SANDY GRAVEL					
60	62	CLAY & GRAVEL					
62	63	CLAY					
63	74	SANDY GRAVEL					
74	80	GRAVEL					
7 CONTRACTORS OR LANDOWNERS CERTIFICATION. This was all the second of th							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) .4-23-2014 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No.: 39227. 480This Water Well Record was completed on (mo/day/year) 198/12/2014							
under the business name of WILLIAMS DRILLING CO. INC by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html