WATER WELL R		WWC-5		ion of Water			
Original Record		ge in Well Use		rces App. No.		Well ID	
1 LOCATION OF WATER WELL: Fraction County: REPUBLIC			NE 1/4	Section Number Township Number Range Number 3 T 4 S R 4 D E W			
				treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:			
Address: 685 CEDAR ROAD				ROAD 110 AND TIMBER ROAD			
City: REPUBLIÇ State: KS ZIP: 66964							
3 LOCATE WELL WITH "X" IN	4 DEPTH OF CO		5 Latitude	5 Latitude:39.7364167(decimal degrees)			
SECTION BOX:	Depth(s) Groundwater 2) ft.		Longitude:97.74636.11				
N	WELL'S STATIC WA	ft.		Source for Latitude/Longitude:			
	below land surface		GPS (unit make/model:)				
NWNE	above land surface, measured on (mo-day-yr) Pump test data: Well water was			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
W E	after hour		Online Mapper:				
SW SE	Well after hou						
	Estimated Yield:gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map			
S 1 mile	Bore Hole Diameter:19 in. to ft. and in. to ft.			Other			
7 WELL WATER TO BE USED AS:							
1. Domestic:	5. 🗌 Public W	ater Supply: well ID				ease	
Household	6. ☐ Dewateri		11. Test Hole: well ID				
☐ Lawn & Garden ☐ Livestock	7. ☐ Aquifer Recharge: well ID			12. Geothermal: how many bores?			
2. Irrigation	9. Environmen	tal Remediation: well II	O	a) Closed Loop			
3. Feedlot				b) Open Loop			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
8 TVPF OF CASING USED: □ Steel ■ PVC □ Other							
Casing diameter 5 in. to 70 ft., Diameter in. to ft.							
Casing height above land surface							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From 70 ft. to 120 ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify)							
10 FROM TO		OGIC LOG	FROM	TO L	ITHO, LOG (cont.) o	or PLUGGING INTERVALS	
	TOP SOIL						
	TAN CLAY					ARTHUR DE LE CONTROL DE LA CON	
	LIMESTONE LAYER	RS WITH TAN CLAY	<u> </u>			The Management of the Control of the	
	SHALE LIMESTONE						
The state of the s	SANDSTONE						
	SHALE		Notes:	. Lucius			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) .1.1/02/20.15 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 480 This Water Well Record was completed on (mo-day-year) .1.1/20/20.15							
Kansas Water Well Contractor's License No. 489 This Water Well Record was completed on (mb-daylyear) 1.1/20/2015 under the business name of WILLIAMS DRILLING CO., INC							
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							