WATER WELL RECOR	RD Form W	WC-5	Division of Water	Resources App. N	o. L	
1 LOCATION OF WATER County: Republic	R WELL: Fraction SW 1/4 SE 1/4 SV	V 1/4 SE 1/4	Section Number 34	Township No. T 4 S	Range Number R 4	
Street/Rural Address of We	Global Positioning	System (GPS) in	ıformation:			
from nearest town or inters	Latitude: .39.654171 (in decimal degrees)					
3 miles South & 3/4 mile East of Norway, Kansas			Longitude: 97.750979 (in decimal degrees) Elevation: 1343 ft			
2 WATER WELL OWNER: Kirk Hanson			Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 1060 Zeal Rd.			GPS unit (Make/Model:)			
City, State, ZIP Code : Concordia, Kansas 66901			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
			Est. Accuracy: $\square$ <	3 m, 🔲 3-5 m, 🔲	5-15 m,	
3 LOCATE WELL WITH AN "X" IN 4 I	DEPTH OF COMPLETED WEL	л. 40	A			
	OX: Depth(s) Groundwater Encountered (1)					
N WE	WELL'S STATIC WATER LEVEL					
	Pump test data: Well water wasft. after hours pumping gpm					
EST. YIELD. 20gpm. Well water was						
W Bore Hole Diameter .9						
-SW - SE -   Domestic   Feedlot   Oli field water supply   Dewatering   Other (Specify below)   Irrigation   Industrial   Domestic-lawn & garden   Monitoring well						
Was a chemical/bacteriological sample submitted to Department?   Yes   No						
S If yes, mo/day/yr sample was submitted						
1 mile  Water well disinfected? ☑ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS:  Glued  Clamped  Threaded  Threaded						
Casing diameter						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel     ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From 20 ft. to 40 ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From 20 ft. to 40 ft., From ft. to						
From ft. to ft., From ft. to ft. to ft. ft. of GROUT MATERIAL: Neat cement Cement grout Denotite Other						
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
Septic tank						
Sewer lines						
Direction from well Sout	heast		400.		••••••	
	LITHOLOGIC LOG	FROM T	ro litho. Lo	G (cont.) <u>or</u> PLU	GGING INTERVALS	
0 1 Topsoil		<u> </u>			A	
1 19 Clay, brown 19 32 Sand, fine	<u> </u>	<del> </del>			·····	
19 32 Sand, fine 32 40 Gravel, coa	IPA	<del>                                     </del>				
40 44 Clay, tan/br		<del> </del>				
	w/clay layers					
7 CONTRACTORS ON TAX	NDOWNED S CEDSTICATES	L T				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(  \) constructed, \(  \) reconstructed, or \(  \) plugged under my jurisdiction and was completed on \( \text{mo} \) ///////////////////////////////////						
Kansas Water Well Contractor's License No						
under the business name of	Peterson McNett Drilling, Inc.		by (signature)	a Meso		
INSTRUCTIONS: Use typewriter of	or ball point pen. PLEASE PRESS FIRMLY	and PRINT clearl	<ul> <li>V. Please fill in blanks a</li> </ul>	nd check the correct a	encwers Send one convito	
Telephone 785-296-5524. Send one	th and Environment, Bureau of Water, Geocopy to WATER WELL OWNER and reta	in one for your rece	ords. Include fee of \$5.	420, Topeka, Kansas .00 for each constructe	66612-1367. ed well. Visit us at	