

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:	County <u>Republic</u>	Fraction <u>SE 1/4 SW 1/4 SE 1/4</u>	Section number <u>4</u>	Township number T <u>4</u> S	Range number R <u>4</u> E <u>W</u>																					
2. Distance and direction from nearest town or city:	<u>2 N of Norway, Ks</u>		3. Owner of well: <u>Larson-Ainsworth Farm</u>																							
Street address of well location if in city:			R.R. or street: <u>60 Glenn Larson</u>																							
			City, state, zip code: <u>Scandia, Ks, 66966</u>																							
4. Locate with "X" in section below: Sketch map:			6. Bore hole dia. <u>32</u> in. Completion date <u>6-29-78</u> Well depth <u>63</u> ft.																							
			7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary																							
			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other																							
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:80%;">X. Type and color of material</th> <th style="width:10%;">From</th> <th style="width:10%;">To</th> </tr> </thead> <tbody> <tr> <td><del>Top soil &amp; clay</del></td> <td></td> <td></td> </tr> <tr> <td><u>Top soil &amp; clay</u></td> <td><u>0</u></td> <td><u>15</u></td> </tr> <tr> <td><u>land</u></td> <td><u>15</u></td> <td><u>23</u></td> </tr> <tr> <td><u>Brown gravel</u></td> <td><u>23</u></td> <td><u>32</u></td> </tr> <tr> <td><u>Green gravel</u></td> <td><u>32</u></td> <td><u>63</u></td> </tr> <tr> <td><u>hit shale (Dakota)</u></td> <td></td> <td></td> </tr> </tbody> </table>			X. Type and color of material	From	To	<del>Top soil &amp; clay</del>			<u>Top soil &amp; clay</u>	<u>0</u>	<u>15</u>	<u>land</u>	<u>15</u>	<u>23</u>	<u>Brown gravel</u>	<u>23</u>	<u>32</u>	<u>Green gravel</u>	<u>32</u>	<u>63</u>	<u>hit shale (Dakota)</u>			9. Casing: Material <u>AC</u> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>34</u> lbs./ft. Dia. <u>16</u> in. to <u>63</u> ft. depth; Wall Thickness: inches or Dia. <u>   </u> in. to <u>   </u> ft. depth; Log No. <u>34</u>		
			X. Type and color of material	From	To																					
<del>Top soil &amp; clay</del>																										
<u>Top soil &amp; clay</u>	<u>0</u>	<u>15</u>																								
<u>land</u>	<u>15</u>	<u>23</u>																								
<u>Brown gravel</u>	<u>23</u>	<u>32</u>																								
<u>Green gravel</u>	<u>32</u>	<u>63</u>																								
<u>hit shale (Dakota)</u>																										
			10. Screen: Manufacturer's name <u>Johnson</u> Type <u>transite</u> Dia. <u>16</u> Slot/gauze <u>1/8</u> Length <u>26</u> Set between <u>37</u> ft. and <u>63</u> ft. <u>   </u> ft. and <u>   </u> ft. Gravel pack? <u>YES</u> Size range of material <u>1/8-1/4</u>																							
			11. Static water level: <u>26</u> ft. below land surface Date <u>6-29-78</u> mo./day/yr.																							
			12. Pumping level below land surfaces: <u>NO TEST</u> <u>   </u> ft. after <u>   </u> hrs. pumping <u>   </u> g.p.m. <u>   </u> ft. after <u>   </u> hrs. pumping <u>   </u> g.p.m. Estimated maximum yield <u>1200</u> g.p.m.																							
			13. Water sample submitted: <u>   </u> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <u>   </u>																							
			14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> inches above grade																							
			15. Well grouted? <u>YES</u> With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.																							
			16. Nearest source of possible contamination: <u>NONE</u> ft. <u>   </u> Direction <u>   </u> Type <u>   </u> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																							
			17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <u>WLR</u> Model number <u>8M</u> HP <u>30</u> Volts <u>230</u> Length of drop pipe <u>56</u> ft. capacity <u>1000</u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																							
			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>361</u> <u>COX-BESWICK IRRIGATION</u> Business name License No. <u>   </u> Address <u>CLIFTON, KS 66937</u> Signed <u>Francis Cox</u> Date <u>7-26</u> Authorized representative																							
18. Elevation: <u>1423</u>	19. Remarks: <u>replacement well no test</u>																									

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

T-4  
 R-4  
 E-4  
 Sec-4  
 SER 505E  
 1/4 1/4