Colorana			ATER WELL RE	CORD	Form V	VWC-5 KS	SA 82a-1	212 ID N				
—		VATER WELL:	Fraction					Number	Township		Range Number	
County: C	loud		SW 1/4	NW	1/4	NE 1/4	2	7	T 5	S	R 1 XXX	
Distance a	and direct	ion from nearest t	town or city stree	et addres	ss of well i	f located with	in city?					
1/4	mile	West of (
2 WATER	R WELL C	WNER: Tr	ish Dunki	n								
RR#, St. Address, Box # : P.O. Box 95 City, State, ZIP Code : Clyde, KS 66938 Board of Agriculture, Division of W										Division of Water Resource		
		V-	A DEPTH OF			11 46		# ELEVA				
AN "X"	IN SECTI	ON BOX:	Depth(s) Grour	ndwater I	Encountere	ed 1		ft. 2	2	ft. 3	<u>.</u> <u>.</u> ft.	
A	I										7/18/00	
	Pump test data: Well water was											
	1	i E										
≥ vv	1		WELL WATER 1 Domestic								njection well	
	- SW		2 Irrigation		eedlot idustrial						Other (Specify below)	
	- SW	SE	2 imgation	4 11	idustriai	<u> → Domestic</u>	(lawn & C	argen) 10	Monitoring wei	1	• • • • • • • • • • • • • • • • • • • •	
<u> </u>	<u> </u>	l i s	mitted	/bacteriol	ogical samp	ole submitted t	o Departm		No X Well Disinfecte		mo/day/yrs sample was sub No	
5 TYPE C	F BLANK	CASING USED:		5 Wrou	ight iron	8 C	oncrete ti				ed. X Clamped	
1 Stee	el	3 RMP (S	R)	6 Asbe	stos-Cem	ent 9 O	ther (spe	cify below	· · · · · · · · · · · · · · · · · · ·	Weld	ded	
X2 PVC		4 ABS		7 Fiber							eaded	
Blank cas	ing diame	ter 5	in. to 3	3.6	ft., Dia .		in. to .		ft Dia .		in. to	
Casing he	eight abov	e land surface	12	in weid	ht 2	.37		lhe /f	t Wall thicknes	e or galige t	lo 214	
							PVC					
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass							RMP (S	.B)		10 Asbestos-cement 11 Other (specify)		
2 Brass 4 Galvanized steel								,		12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:					5 Gauzed wra				8 Saw cut	(0)	11 None (open hole)	
1 Continuous slot S Mill slot					6 Wire wrapped				9 Drilled hole	s	Trivone (open noie)	
	vered shu	tter 4 K	ey punched		7 -	Torch cut			10 Other (spec	;ify)		
SCREEN	-PERFOR	ATED INTERVAL	LS: From	3.6	ft. t	to 4.6	; <i>.</i>	ft., From		ft. t	to	
			From	<i></i> .	ft. f	to		ft., From		ft. t	to	
	GRAVEL	PACK INTERVAL	LS: From	. 20	ft. t	to 4 .6		ft., From		ft. t	o	
			From	• • • • • •	ft. 1	to	• • • • • •	ft., From		ft. t	o	
6 GROUT	MATERI	AL: 1 Neat c	ement	2 Ceme	ent grout	X 3 Be	ntonite	4 0	ther			
Grout Inte	ervals: F	rom 0	ft. to 20		ft., From .		ft. to	-	ft., From .		ft. to	
What is the nearest source of possible contamination:						,			ock pens		bandoned water well	
1 Sept	X Later	7 Pit privy				11 Fuel st	torage					
2 Sew	5 Cess	8 Sewage lagoon				12 Fertilizer storage			Other (specify below)			
3 Watertight sewer lines 6 Seepage pit					9 Feedyard			13 Insecticide storage				
	-	East		o i oodyala			How many feet? 130					
FROM	ТО		LITHOLOGIC LO	ng.		FRO		0	, 1001.	UGGING IN	ITEDVALS	
	4	Topsoi				- 100	1	-		LOGGING II	VIERVALO	
0 4	18		Sandy C	av								
	30		Tan Sand	Luy								
18				.a —								
30	39		, Tan Sar ndstone	<u>10</u>								
39	46	Tan Sai	nastone									
7 CONTR	ACTOR'S	OR LANDOWNE	R'S CERTIFICAT	ION: Th	is water w	ell was (X) co	nstructed	, (2) recor	nstructed, or (3)	plugged un	der my jurisdiction and was	
											owledge and belief. Kansas	
		or's Licence No										
		ame of Pete						by (sign			1 Ste	
										realf	remer	
INSTRUCT	IONS: Use ty	pewriter or ball point pen	. PLEASE PRESS FIR	MLY and P	<i>RINT</i> clearly. P	Please fill in blanks	underline or	r circle the cor	rect answers. Send to	op three copies to	Kansas Department of Health and	

Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.