

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number		Range Number	
County: Cloud		NW ¼	SE ¼	NW ¼	26		T 5 S	R 1W E
Distance and direction from nearest town or city street address of well if located within city?								
426 Washington, Clyde,								
2 WATER WELL OWNER: Clyde Coop c/o Wayne McRae								
RR#, St. Address, Box # : P.O. Box 128 Board of Agriculture, Division of Water Resources								
City, State, ZIP Code : Clyde, KS 66938 Application Number:								
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 35 ft. ELEVATION:						
		Depth(s) Groundwater Encountered 11.5 25 ft. 2 ft. 3 ft. Ft.						
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr						
		Pump test data: Well water was Ft. after hours pumping Gpm						
		Est. Yield Gpm: Well water was Ft. after Hours pumping Gpm						
		Bore Hole Diameter 8.625 in. to 35 ft. and in. to Ft.						
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well MW-14								
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes No X								
5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded								
2 PVC 4 ABS 7 Fiberglass Threaded X								
Blank casing diameter 2 4 19.5 Dia In. to ft. Dia in. to ft.								
Casing height above land surface FLUSH In. weight SCH 40 Lbs./ft. Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From 19.5 ft. to 34.5 ft. From ft. to ft.								
From ft. to ft. From ft. to ft.								
SAND PACK INTERVALS: From 18 ft. to 35 ft. From ft. to ft.								
From ft. to ft. From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals From 3 0 ft. to 16 Ft. From 16 to 18 ft. From ft. to ft.								
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well								
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated Site								
Direction from well? How many feet?								
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								
0 .5 Concrete								
.5 3.5 Clayey Silt (ML) brown, moist								
3.5 20.5 Silty clay (CL) brown soft								
20.5 29 Silty Sand (SM) brown, fine gr								
29 35 Sand (SW) fine to coarse								
35 TD								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w								
Completed on (mo/day/yr) 10/13/08 And this record is true to the best of my knowledge and belief. Kansas								
Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 11/05/08								
under the business name of Associated Environmental, Inc. By (signature) Bradley J Johnson								
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.								