| | WELL | | WWC-5 | | ision of Water | | W-ILID | | |
|--|--|------------------------------|-------------------------|--|--|--|------------------------------|--------------------------|--|
| | Record [| | ge in Well Use | | urces App. No | | Well ID | ga Numbar | |
| 1 LOCATION OF WATER WELL: County: Cloud | | | Fraction SE¼ SW¼ NW¼ | I . | tion Number 15 | Township Numb | | ge Number □ E 🗷 W | |
| 2 WELL OWNER: Last Name: Lambert First: Patrick Street or Rural Address where well is located (if unknown, distance and | | | | | | | | | |
| Business: Address: 2715 Union Rd direction from nearest town or intersection): If at owner's address, check here: | | | | | | | | | |
| Address: Approximately 1,430 feet northeast of the intersection of Union | | | | | | | | | |
| City: | Clyde | State: KS | ZIP: 66938 | Rd and 270 | d and 270th Rd. | | | | |
| 3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL: 208 ft. 5 Latitude: 39.614194 (deci | | | | | | | | (decimal degrees) | |
| 1 | N BOX: | Depth(s) Groundwater | 66 ft. | 2 ft. Longitude: 97.423083 (decimal degrees) | | | | | |
| N 2) ft. 3 | | | 3) ft., or 4) [| 66 | | | | AD 27 | |
| WELL SSTATIC WA | | | e, measured on (mo-day- | vr) 04/ <i>21/</i> 2015 | Source | Source for Latitude/Longitude: GPS (unit make/model:) | | | |
| above land sur | | | , measured on (mo-day- | ·yr) | | (WAAS enabled? ☐ Yes ☐ No) | | | |
| Pump test data: Well | | | vater was130 f | | | | Land Survey Topographic Map | | |
| Well | | | s pumping 999 | | | | | | |
| X SW SE after | | | s pumping | | 6 Elevation: 1353ft. ☑ Ground Level ☐ TOC | | | | |
| | | Fetimated Vield: 80 | 0 gnm | | 6 Elevation: | | | tt. 🔟 Ground Level 🔲 TOC | |
| S Bore Hole Diameter | | | 30 in. to 208 | ft. and | Source: ☐ Land Survey ☐ GPS ☐ Topographic Map Other KOLAR | | | | |
| mile in. to ft. | | | | | | | | | |
| 1. Domestic: 5. Public Water Supply: well ID | | | | | | | | | |
| | ☐ Household 6. ☐ Dewatering: how many wells? | | | | | | | | |
| · — | ☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID | | | | | | | | |
| _ | ☐ Livestock 8. ☐ Monitoring: well ID | | | | | rmal: how many bores | | | |
| 3. Feedlo | | | | | | | | | |
| 4. Indust | | ☐ Recovery | | | | er (specify): | | | |
| Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☑ No If yes, date sample was submitted: | | | | | | | | | |
| Water well disinfected? ☐ Yes ☑ No | | | | | | | | | |
| 8 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other | | | | | | | | | |
| Casing diameter 16 in to 148 ft., Diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 12 in Weight lbs./ft. Wall thickness or gauge No625 | | | | | | | | | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: | | | | | | | | | |
| ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☑ PVC ☐ Other (Specify) | | | | | | | | | |
| ☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) | | | | | | | | | |
| SCREEN OR PERFORATION OPENINGS ARE: | | | | | | | | | |
| ✓ Continuous Slot | | | | | | | | | |
| SCREEN-PERFORATED INTERVALS: From .148 ft. to .208 ft., From ft. to ft., From ft. ft. o ft. | | | | | | | | | |
| GRAVEL PACK INTERVALS: From | | | | | | | | | |
| 9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other | | | | | | | | | |
| Grout Intervals: From | | | | | | | | | |
| Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage | | | | | | | | | |
| ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☑ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well | | | | | | | | | |
| ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well | | | | | | | | | |
| ☐ Other (Specify) | | | | | | | | | |
| 10 FROM | TO T | LITHOLO | | FROM | | π LITHO. LOG (cont.) ο | | GINTERVALS | |
| 0 | | Top soil and brown clay | | 1 KOW | | | . 1 2000111 | O MALIA FALS | |
| 20 | | Stiff brown clay | | | | | | | |
| 40 | 60 | Gray, brown clay | | | | | | | |
| 60 | | Gray shale | | | | | | | |
| 70 | | Fine sandstone with o | gray shale layers | | | | | | |
| 114 | | Fine sandstone | Notes: | | | | | | |
| 126 160 | | Gray shale Fine sandstone | 78. | - Notes: | • | | | | |
| 205 220 Gray shale | | | | | | | | | |
| 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\big \) constructed, \(\pi \) reconstructed, or \(\pi \) plugged | | | | | | | | | |
| under my jurisdiction and was completed on (mo-day-year) 04/21/2015 and this records true to the best of my knowledge and belief | | | | | | | | | |
| Kansas Water Well Contractor's License No. 755 This Water Well Record was completed on (mo-day-year) .05/19/2015 | | | | | | | | | |
| under the business name of Sargent Drilling. Send one copy to WATER WELL OWNER and retain one for your records. Veeles 5.00 for each constructed well. | | | | | | | | | |
| KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. | | | | | | | | | |
| Visit us at http://www,kdheks.gov/waterwell/index.html KSA 82a-1212 | | | | | | | | | |