KOLAR Document ID: 1604252

WATER WELL RECORD Form WWC-5 Original Record Correction Correction Change in Well Use	Division of Water Resources App. No. Well ID	
1 LOCATION OF WATER WELL: Fraction	Section Number Township Number Range Number	r
County: $\frac{1}{4}$ $\frac{1}{4}$	$\frac{14}{14}$ 14	
2 WELL OWNER: Last Name: First:	Street or Rural Address where well is located (if unknown, distance and	
Business:	direction from nearest town or intersection): If at owner's address, check here:	
Address: Address:		
City: State: ZIP:		
3 LOCATE WELL 4 DEPTH OF COMPLETED WEL		
WITH "A" IN Death(a) Croundwater Encountered(1)		
SECTION BOX: N Depth(s) Groundwater Encountered: 1) 2)		ees)
WELL'S STATIC WATER LEVEL:	ft. Source for Latitude/Longitude:	
$ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ below land surface, measured on (mo- above land surface, measured on (mo-)
NW NE □ above land surface, measured on (mo- Pump test data: Well water was		
W E after hours pumping		
Well water was	ft.	
after hours pumping	6 Elevation :ft. Ground Level Ground Level	OC
S Bore Hole Diameter:		
1 mile in. to		•••••
7 WELL WATER TO BE USED AS:		
1. Domestic: 5. Public Water Supply: well II C D 10. D <lid< li=""> <lid< li=""></lid<></lid<>		
□ Household 6. □ Dewatering: how many wells □ Lawn & Garden 7. □ Aquifer Recharge: well ID		
□ Livestock		
2. Irrigation 9. Environmental Remediation: we	a) Closed Loop 🗌 Horizontal 🗌 Vertical	
	b) Open Loop 🗌 Surface Discharge 🗋 Inj. of Wat 13. 🗋 Other (specify):	
Water well disinfected? Yes No	□ Yes □ No If yes, date sample was submitted:	
	CASING JOINTS: Glued Clamped Welded Thread	ed
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.		
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No		
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Steel Other (Specify)		
Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)		
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)		
SCREEN-PERFORATED INTERVALS: From		
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other		
Grout Intervals: From ft. to ft., From ft. to ft. to ft. to ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft.		
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well		
□ Watertight Sewer Lines □ Cess Foor □ Sewag		
□ Other (Specify)		
Direction from well? Distance from Di		LT G
10 FROM TO LITHOLOGIC LOG	FROM TO LITHO. LOG (cont.) or PLUGGING INTERV	ALS .
]
	Notor	
	Notes:	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICAT	ON: This water well was constructed, reconstructed, or plug	ged
under my jurisdiction and was completed on (mo-day-year)	and this record is true to the best of my knowledge and belt Water Well Record was completed on (mo-day-year)	ef.
	water well Record was completed on (mo-day-year)	
Send one copy to WATER WELL OWNER and re	$\frac{1}{2}$ and for your magnetic. Eas of 500 for each computed well	
	n, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-35	I