			WATE	R WELL RECOR	D Form W	VC-5 KSA 82a	-1212			
	ON OF WAT		Fraction	15	115	Section Number	Township Numb		Range Number	
	Smith		NE 1/4		NE 1/4		T 3	S   F	3 (W)	
Distance and direction from nearest town or city street address of well if located within city?										
<u> </u>		N 2.1	1	CIL MANUEL						
<b>_</b>	R WELL OW	NER: DEN		EHMANN						
RR#, St. Address, Box # : Box 603  Board of Agriculture, Division of Water Resources										
City, State, ZIP Code : GAYLORD, KS 6/638  ADCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL							Application Number:			
3 LOCATI	E WELL'S L IN SECTIO	OCATION WITH	DEPTH OF C	COMPLETED WEL	L57	ft. ELEVA	TION:			
_ AN A_	IN SECTION	<b>√</b>					2			
ī	WELL'S STATIC WATER LEVEL 19 ft. below land surface measured on mo/day/yr									
	Pump test data: Well water was #0 ft. after hours pumping /000 gpm									
	Est. Yield									
w F	Bore Hole Diameter. 20in. toft., andin. to									
₹ "	!	!   <sup>-</sup>   v	VELL WATER 7	TO BE USED AS:	water supply	8 Air conditioning	11 Inject	ion well		
ī L	sw	SE	1 Domestic	3 Feedlot	6 Oil fiel	d water supply	9 Dewatering	12 Other	(Specify below)	
	1	i i i	(2) Irrigation	4 Industria			10 Monitoring well			
↓ L	Was a chemical/bacteriological sample submitted to Department? YesNo. 1   Was a chemical/bacteriological sample submitted to Department? YesNo. 2   Was a chemical/bacteriological sample submitted to Department?								lay/yr sample was sub-	
<del>-</del>			nitted		·	Wa	ter Well Disinfected 🗶		No	
		CASING USED:		5 Wrought iron		oncrete tile			Clamped	
1 St		3 RMP (SR)		6 Asbestos-Cen	nent 9 C	ther (specify below	v)	Welded		
(2P)		4 ABS	29	7 Fiberglass						
Blank casi	ng diameter	<i>].(</i> 6ir	1. to 4.4.	ft., Dia		n. to	ft., Dia	in. to	طرر سرر رس	
Casing he	ight above la	and surface		.in., weight			ft. Wall thickness or g	auge No	26	
TYPE OF	SCHEEN O	H PERFORATION	MATERIAL:			DVC	10 Asbesto	os-cement		
1 St		3 Stainless s		5 Fiberglass		RMP (SR)	,			
2 Br		4 Galvanized		6 Concrete tile		ABS		sed (open ho	· 1	
		RATION OPENING			Gauzed wrapp		8 saw cut	ווו	None (open hole)	
	ontinuous sid				Wire wrapped		9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
From										
	SRAVEL PA	CK INTERVALS:							<i>5.7</i>	
`	MINVEL I A	OK WILLIAMS.	From		to	ft., Fro			ft.	
6 GROUT	Γ MATERIAL	.: 1 Neat ce		2 Cement grout						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Pentonite 4 Other										
What is th	e nearest so	ource of possible co							oned water well	
	eptic tank	4 Lateral		7 Pit priv	7 Pit privy		11 Fuel storage 15 (			
	wer lines	5 Cess p					zer storage	16 Other (specify below)		
3 W	atertight sew	ver lines 6 Seepag	ge pit	9 Feedya	-		13 Insecticide storage			
		South	- ,	·		How ma	·			
FROM	то		LITHOLOGIC	LOG	FRC		PLUG	GING INTER	₹VALS	
0	15	Top soil								
15	24	Sandy Go								
24	35	Sandy Clay	with g	ravel Laye	25					
35	58	Fine grave		sand '						
58	60	Shale								
			·					<del> </del>		
							* · · · · · · · · · · · · · · · · · · ·			
		<u> </u>								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1 plugged under my jurisdiction and was										
completed on (mo/day/year) . 2 - 20 - 97 and this record is true to the best of my knowledge and belief. Kansas										
		's License No		This Wa	ter Well Recor	•	11/1/11/11	7-26-9	<i>L.</i>	
		me other Sarge				by (signa		<u>u</u>		
INSTRU of Hea	JCTIONS: Use to the and Environr	ypewriter or ball point pennent, Bureau of Water, T	en. <u>PLEASE PRESS</u> Jopeka, Kansas 666	FIRMLY and PRINT clear 20-0001. Telephone: 91	arly. Please fill in b 3-296-5545. Send	lanks, underline or circleone to WATER WELL O	e the correct answers. Send WNER and retain one for yo	top three copies our records.	to Kansas Department	