		CLL RECORD	Form W	WC-5	Division of Wate	r Resources App. No		
	CATIO: inty: Sn	N OF WATER WELL:	Fraction	M 1/ OF 1/	Section Number	Township No.	Range Number	
		Address of Well Location;	NE ¼ NE ¼ SI	V 4 SE 4	Clabal Davidia	T 5 S	R 14 □E ☑W	
fron	n neares	town or intersection: If at	owner's address, chec	Global Positioning System (GPS) information: Latitude: .39,643179				
	355 ft. S and 130 ft. E of the intersection of HWY 9 and 6th St. in				Longitude: 98.84/104 (in decimal degrees)			
Ga	Gaylord, KS.					Elevation: 1596.32		
	Doeucher Enterprises					Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:		
	RR#, Street Address, Box #: PO Box 486				GPS unit (Make/Model: Topcon GR-3			
City, State, ZIP Code : Beloit. KS 67420-0486					☐ Digital Map/Photo, ☐ Topographic Map. ☐ Land Survey			
3 LOCATE WELL Est. Accuracy:								
1	WITH AN "X" IN SECTION BOX: Denth(s) Groundwater Encountered (1) Denth(s) Groundwater Encountered (1)							
SEC	1 2 4 p.m.(o) Groundwater Encountered (1)							
	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
N	NW NE LEST, TIELDgpm, Well water was ft after hours numerical							
W	W E Bore Hole Diameter 9.49							
Irrigation Industrial Domestic-lawn & garden Monitoring well								
	was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted.NA. Water well disinfected? Yes V No								
water well disinfected? The Market No								
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other								
Casing diameter 1 in to 35 ft Diameter in to a Diameter								
Casing neight above land surface								
THE OF SCREEN OR THE ORATION MATERIAL:								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From								
from that the terms of the term								
ORAVEL PACK INTERVALS: From tt. to								
6 GROUT MATERIAL: Neat coment Coment grout P Postsories Coll								
Grout intervals. From It. to								
		est source of possible collia	mination.					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well MW well for NO3 site								
FROM	TO	m wellLITHOLOGI			om well			
0	2	silt	C LOG	FROM	TO LITHO. LO	G (cont.) or PLUC	GGING INTERVALS	
2	4	silty clay						
4	30	clay						
30	34 35	silty sandy clay						
34	33	sandy clay				· · · · · · · · · · · · · · · · · · ·		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION CITY								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, re								
Nailsas water well Contractor's License No. 103 his Water Wall Depart was sometimed at 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								
under the business name of Plains Environmental Services, Inc. by (signature) (mo/dayytear) #19/2011 INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLy and PRINT clearly. Please fill in blanks and check the correct asswers. Send three copies								
(white, blu	ie, pink) to	Ose typewriter of ball point pen. Kansas Department of Health a	nd Environment Bureau of	and <u>PRINT</u> clear	ly. Please fill in blanks/a	nd check the correct a	iswers. Send three copies	
, or of the title	. 00 = 70 .	January to WAIL	R WELL OWNER and r	etain one for you	r records. Include <u>fee</u> o	of \$5.00 for each con	река, Kansas 66612-1367. structed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Deline Copy								
					CHECK. WIN	c copy, [] Blue	Copy, LI Pink Copy	