WATER WELL RECORD			Form W	WC-5	Division of Water	r Resources App. No		
	1 LOCATION OF WATER WELL: County: Smith		Fraction		Section Number	Township No.	Range Number	
	County: Smith NE ¼ SE ¼ SW ¼ SE ¼ Street/Rural Address of Well Location; if unknown, distance & direction						R 14 ☐E ☑W	
fron	from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude: .39,641502		
700 ft. S of the intersection of HWY 9 and 5th St. in Gaylord, KS.					Longitude: 98.846788 (in decimal degrees) Elevation: 1596.33			
2 WA	TED W	ELL OWNED.	<u></u>		1, ☑ NAD 83, ☐			
2 WATER WELL OWNER: Boettcher Enterprises RR#, Street Address, Box #: PO Box 486					Collection Method:			
City, State, ZIP Code : Beloit, KS 67420-0486					GPS unit (Make/Model: Topcon GR-3 Digital Map/Photo, Topographic Map, Land Survey			
			NS 07420-0486		Est. Accuracy: ∇	oto, ☐ Topographic 3 m. ☐ 3-5 m. ☐ 4	5-15 m. \square >15 m	
	CATE WE	LL A DEPTH OF		- 25		, <u>u , u -</u>	,	
	TH AN "X TION BO							
	N N							
	Pump test data: Well water wasft. after hours pumping							
N	L. NW - NF - EST. YIELDgpm. Well water wasft, afterhours numpinggpm							
w	W E Bore Hole Diameter 2.42in. to .32ft., andin. to							
	WELL WATER TO BE USED AS:							
S	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
<u> </u>	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well							
	S If yes, mo/day/yr sample was submitted NA.							
mile Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☑ Threaded								
Casing diameter .1								
Casing height above land surface								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
Louvered shutter Key punched Saw cut Other (specify)								
From fit to fit From A - 0 1								
GRAVEL PACK INTERVALS: From								
from ft. to ft From ft to ft to								
1.0 (TKUUL MALEKIAL: 1.1 Neat cement 1.1 Cement grout 1.1 Reptonite 1.1 Other								
Grout Intervals: From .1								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well MW well for N03 site Direction from well								
FROM	ТО	LITHOLOG		FROM			GING INTERVALS	
0	2	silt			-5 EIIIO. LO	C (com.) or I LUC	ONTO INTERVALS	
2	4	silty clay	*					
4	30	clay						
30	34	silty sandy clay		ļ				
34	33	sandy clay						
				 				
					MW-13s	·		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [7] constructed or plugged								
under my jurisdiction and was completed on (mo/day/year) .3/1//2011 and this record is true to the best of my knowledge and belief								
Kansas Water Well Contractor's License No. 709 This Water Well Record was completed on (mo/day/year) 4/9/2011 under the business name of Plains Environmental Services, Inc. by (signature)								
I INSTRUCTIONS: Use typewriter of ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and about the second about the								
(white, blue, plant) to Kansas Department of Health and Environment, Bureau of Water Geology Section 1000 SW Jackson St. Suita 420. Thoulas Venego 64612 1267.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								
					win	ic copy, in blue	сору, штик сору	