		WAT	ER WELL REC	ORD Form	n WWC-5	KSA 82a-1	212 ID No	0.			
	ON OF WAT	ER WELL:	Fraction	. 1	11	Sec	tion Number	Township Number	er Ra	nge Numb	er
	hillips		SE 14	SW 1/4	5N,		36	<u> τ 5, </u>	S R		EW)
								le west of	Jet 183	Hwy	
	R WELL OWN	ARLY EC		NPhil	1185	Count	7				
			e Odle								
City, State,	ddress, Box i ZIP Code	: Map	ESIMP	165 676	460			Board of Agricult Application Num		water Hes	ources
		CATION WITH	DEPTH OF C	OMPLETED V	VELL	32	ft. ELEVA	TION:			
	N SECTION I	BOX:	Depth(s) Groun	ndwater Encou	ntered	17		. 2			
	N		WELL'S STATIO	C WATER LEV	'EL//.	ft. belo	w land surfac	e measured on mo/day.	/yr		
	1		Est Viola Pur	np test data:	Well water	was	ft. 6	after he after he	ours pumping		gpm
	-NW		WELL WATER			was Public water s		8 Air conditioning	11 Injection we		gpiii
			1 Domestic		t 60	Dil field water	supply	9 Dewatering	12 Other (Spe	cify below)	
w -	<u> </u>		2 Irrigation	4 Industr	ial 7 [Domestic (law	n & garden)	10 Monitoring well.	ASTURE	wei	ł
	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No										as sub-
	×	i	mitted				VV	ater well disinfected? Y	es	No	
E TYPE (S S ANK C	ACINO HOED		F 14/		0.0	h = 411 =	O A O INIO I I O INI TO			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)				5 Wrought iron 8 Concr 6 Asbestos-Cement 9 Other			te tile specify below	CASING JOINTS	: Glued Welded	•	
	2 PVC 4 ABS							<i>,</i> 	Threaded		
Blank casir	ng diameter .		in. to	12	ft., Dia		in. to	ft., Dia	in	. to	ft.
				in., weigh	ıt			lbs./ft. Wall thickness o	r guage No		
TYPE OF SCREEN OR PERFORATION MATERIAL:				5 5 %		(PV)		10 Asbesto			
1 Stee		 Stainless Galvanize 	•	5 Fiberglass 8 RMI 6 Concrete tile 9 ABS			SR) 11 Other (Specify)				
								8 Saw cut	, ,	a (anan ba	la)
1 Continuous slot (3`Mill slo					5 Guazed wrapped 6 Wire wrapped			9 Drilled holes	i inone	e (open ho	ie)
	vered shutter		y punched		7 Torch			10 Other (specify)			ft.
SCREEN-F	PERFORATE	D INTERVALS:	From	22	ft. to	10	ft., From		ft. to		ft.
,			From		ft. to		ft., From		ft. to		ft.
(GRAVEL PAG	CK INTERVALS:									
			1 10111			~	11., 1 10111		11. 10		
6 GROU	JT MATERIA	_	cement	2 Cement	_	3 Ben		4 Other			
	rvals: Fron			ft., Fro	om	ft. to		ft., From	ft. to		ft.
		urce of possible					tock pens	14 Abandone		H	
		4 Latera	7 Pit privy			_		15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit				8 Sewage lagoon				zer storage	16 Other (spe	cify below))
Direction fr	-	riines 6 Seepa	`	9 Feedyard		How mar	ticide storage	<i>[</i>			
FROM	TO		LITHOLOGIC	CLOG		FROM	TO		ING INTERVALS		
0	10	TOP :				THOW	10	FLOGG	III III III III III III III III III II	,	
10	14		white	enst.							
14	22		sand of		/						
22		Blue	, , ,	J							
		-		-							
7 CONTR	ACTORIS O	D I WIDOWINE	DIS CERTIFICA	TION: This	tor well		untand (O) ===	anatruotod == (0) =t ==	ad under		
	on (mo/day/y		4-06	TION: This wa	ater well wa			onstructed, or (3) plugg ecord is true to the best of			
	Contractor's	. •	938		This Water			ed on (mo/day/yn)	-5+0E	7	
	usiness nam	/ /	divapo	Nell	Sei	WILL		(signature)	· Da	14 ~	
		writer or ball point per		IRMLY and PRINT					ee coples to Kansas I	Department of	Health
and Enviro	anmont Burgau	of Water Geology Sec	stine 4000 CW/ Inches	Ct C. it- 400 T	Tamaka Kanaa	CCC10 1007 Tol	70F 000 F	ECO. Cond one to MATER ME	L OWNER d t	- 6- 1 - 1	,

records. Fee of \$5.00 for each constructed well.