



USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

LOGAN SW

WATER WELL RECORD
KSA 82a-1201-1215

T		R		EW		sec	1/4	1/4	1/4	No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

County Phillips		Township name S		Fraction SE, NW 1/4		Section number 19		Town number 5		Range number 19 W													
1 Location of well: Distance and direction from nearest town or city: Street address of well location if in city:						3 Owner of well: John RUFF Address: Logan, KS																	
Locate with "X" in section below: 						Sketch map: 						4 Well depth: 70 ft. Date of completion 4-7-76 Well diameter 11 in.											
2 Type and color of material						From						To						5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary					
																		6 Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well					
Black Soil Clay Fine Sand Fine Sand and Coarse Gravel Blue SHALE in Og - not well located 70' 70' 14' 56' sat thick TOP 2080'						7 Casing: Material PLASTIC Height: above/below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 1' in. Diam. 5" Weight 200 lbs./ft. 0 in. to 70 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No in. to ft. depth						8 Screen: Manufacturer JESS. LOWELL Type PVC Dia. 5" Slot/gauze 1/16 Length 20' Set between 50 ft. and 70 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/4											
												9 Static water level: 14 ft. below land surface Date 4-7-76						10 Pumping level below land surfaces: 14 ft. after 4 hrs. pumping 12 g.p.m. 14 ft. after 4 hrs. pumping 12 g.p.m. Estimated maximum yield 25 g.p.m.					
						11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date						12 Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade											
												13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 10 ft.											
						14 Nearest source of possible contamination: ft. 150' Direction West Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No						15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Danlon Model number 71A HP 3/4 Volts 230 Length of drop pipe 65 ft. capacity 12 g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other											
												16 Remarks: elevation						17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Redinger Drilling 229 Business name License No. Address 638 0 St Phillipsburg Signed Darrell Redinger Date 4-7-76 Authorized representative					

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5