WATER WELL RECORD		Form WWC-5		D	Division of Water Resources App. No.			
1 LOCATION OF WAY County: Dash	TER WELL:	Fraction WW1/4	NW/4 NW/	Secti	on Number	Township No.	Range Number	
Street/Rural Address of	f Well Location; i	if unknown, distan	ce & direction			System (GPS) is	nformation:	
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
					Longitude: (in decimal degrees)			
8441 CE.E.I					Elevation:			
Ustlifes > h of Logan					m: WGS 8	4, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: Justin Ashmore RR#, Street Address, Box #: City, State, ZIP Code: 1090 W Biy Bear Ln					Collection Method:			
RR#, Street Address, Box #: 1490 M/ Bin Bear Ln							)	
City, State, ZIP Code : 1090 K3 67696					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
	Logo	an Ks	61646	Est. A	Accuracy: $\square$ <	3 m, 🔲 3-5 m, 🗀	] 5-15 m, □ >15 m	
3 LOCATE WELL	v			وسسن				
WITH AN "X" IN	4 DEPTH OF C	COMPLETED W	ELL	?	ft.			
SECTION BOX:	Depth(s) Ground	lwater Encountere	ed (1)ه. هند الم	ft.	. (2)	ft.	(3)ft.	
SECTION BOX:  N  WELL'S STATIC WATER LEVEL								
Pump test data: Well water wasft. after hours pumping								
EST. YIELD. 15gpm. Well water was								
W Bore Hole Diameterft., andft.								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Demostic District Doi: 6.14 meter and Doi: 6.14 mete								
SW -   SE -     Domestic   Feedfor   Off field water supply   Dewatering   Off field water supply   Off field water s								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected?								
5 TYPE OF CASING USED:								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot								
Continuous slot								
SCREEN-PERFORATED INTERVALS: From 45 ft. to 25 ft., From ft. to ft.								
From ft to ft From ft to 4								
From								
From								
6 CROUT MATERIAL: Neat cement Cement grout Prentonite Cother								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer st								
Direction from well					ell			
FROM TO	LITHOLOG		FROM	ТО	,		JGGING INTERVALS	
0 35 591	n d							
35 40 sk	te cha	1k rock	,					
40 45 5/	also	// / / / / / / / / / /						
L SA	<i>a                                    </i>							
					<del>                                     </del>			
					-			
7 CONTRACTOR'S OR	LANDOWNED	28 CEDTIFICAT	CION. This	or v11 -	Was [2]	noted Descript	nated on Duller 1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, constructed, or plugged under my jurisdiction and was completed on (mo/day/year) 7 13 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name of G. o. U. s. c. h. a. k. W. e. l. D. r. ilingby (signature) Leng. Dettically								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas D	epartment of Health	and Environment. But	reau of Water. Geo	logy Section	on, 1000 SW Jac	ckson St., Suite 420	Topeka, Kansas 66612-1367	
Telephone 785-296-5524. Send	d one copy to WAT	ER WELL OWNER	and retain one for	your reco	rds. Include fee	of \$5.00 for each c	constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								