WATER WELL REC	CORD	Form '	WWC-5	Division of Water	Resources App. N	o. L	
1 LOCATION OF WA	TER WELL:	Fraction		Section Number	Township No.	Range Number	
County: P/j //		SEV4SE14S		31		R 19 □E 🕬	
Street/Rural Address of				Global Positioning			
from nearest town or i	ntersection: If at	owner's address, ch	eck here .			(in decimal degrees)	
	_					(in decimal degrees)	
9 miles	SEOF	Logan K	\$	Elevation:			
2 WATER WELL OV	VNER: .T.:	Ach mar	و	Collection Method:	, 🗀 NAD 65, 🗀	I NAD 27	
9 Miles SE of Logan Rs 2 WATER WELL OWNER: Tim Ash more RR#, Street Address, Box #: City, State, ZIP Code: Logan Ks-67646			GPS unit (Make/Model:)				
City, State, ZIP Code	: 209	an Rs.	17.11	☐ Digital Map/Ph	oto, 🗌 Topographi	c Map, Land Survey	
A TOCHTE WEY		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1646	Est. Accuracy:	3 m, <u></u> 3-5 m, <u></u>	5-15 m,	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WI	ELL 4	3 ft.			
SECTION BOX:	Depth(s) Groun	dwater Encountered	(1)22	28 . ft. (2)	ft. ((3) ft.	
N	Depth(s) Groundwater Encountered (1)						
	Pump test data: Well water wasft. after hours pumping gpm						
NW NE	EST. YIELD						
W E	Bore Hole Diameter						
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE	SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
water went districted: 1 Tes 1 Tvo							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
Steel Stainless Steel PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 23 ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From 4.3 ft. to 20 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From . 2.0 ft. to ft., From ft., From ft., From ft. to ft.							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Pasture							
Direction from well				from well		•••••	
FROM TO	LITHOLOG		FROM	TO LITHO. LO	OG (cont.) or PLU	IGGING INTERVALS	
0 6 50	oil.						
6 10 Ch	alk rock						
10 16 39	nd n clay	/					
	lay '	111					
25 32 59		IKtock					
32 43 5h	ale						
7 CONTRACTOR'S OF	R LANDOWNEI	R'S CERTIFICAT	ION: This water	r well was Constru	icted, \square reconstr	ucted, or nlugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. Y.C.C This Water Well Record was completed on (mo/day/year)							
under the business name of G. at Schalk Well Daille u. s. by (signature) Leven Gattachalk.							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and eneck the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
(white, blue, pink) to Kansas Telephone 785-296-5524. See							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							