WATER	WELL RE	CORD	Form W	WC-5	Division of Water Resources App. No.	
		TER WELL:	Fraction	CF ./	Section Number Township No. Range Number 18 T 5 S R 2 DE 7W	
County	r: Cloud		NW 1/4 SW 1/4 SW			
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						
from nearest town or intersection: If at owner's address, check here \square .					Longitude: 97.5833826 (in decimal degrees)	
4 miles North & 4.5 miles East of Concordia, Ks.				Elevation: 1375 ft		
					Datum: WGS 84, NAD 83, NAD 27	
2 WAT	ER WELL OV	WNER: Benson	Keil		Collection Method:	
	Street Address,	Box #: 1912 Ur			☑ GPS unit (Make/Model:	
City, S	State, ZIP Code	Concord	lia. Kansas 66901		Digital Map/Photo, Topographic Map, Land Survey	
					Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m	
3 LOCA		A DEPTH OF	COMBLETED WELL	98		
	AN "X" IN ON BOX:	Depth(s) Council	JUNITLE I ED WELI	(1)	f (2) f (3) f	
SECTI	N BOA:	WELL'S STATE	C WATED I EVEL	44 6	ft. (2) ft. (3) ft. t. below land surface measured on mo/day/yr. 9/14/2015	
		WELL SSIAII	tect data: Well wate		ft. after	
	'	EST VIELD 10	L11 ann Well water	. was	ft. after hours pumpinggpm	
	NE	Bore Hole Diam	eter 9 in to	100	ft., andin. toft.	
WELL WATER TO RE USED AS: Public water supply Geothermal Injection well						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
1 1.	SW SE					
Was a chemical/bacteriological sample submitted to Department? Yes V No						
	S		day/yr sample was sub			
	1 mile		fected? A Yes			
C TOWNE	OF CASING	1				
5 TYPE OF CASING USED: Steel PVC Other						
Casing diameter						
Casing height above land surface 12 in., Weight 2.37 lbs./ft., Wall thickness or gauge No. 0.214						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Πs		ainless Steel	PVC	Γ-	Other (Specify)	
l Hi	Brass	dvanized Steel	None used (open b	ole)	_ out (specify)	
SCREEN OR PERFORATION OPENINGS ARE:						
					☐ Drilled holes ☐ None (open hole)	
	ouvered shutter	☐ Key punched	☐ Wire wrapped [Saw cut	Other (specify)	
SCREEN-PERFORATED INTERVALS: From						
	From					
	GRAVEL PACK INTERVALS: From 20 ft. to .98 ft., From ft. to					
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other						
Grout Intervals: From						
	ie nearest sourt Septic tank			Livestock	pens	
Hs	iewer lines	Cesspool		Fuel storag	· <u>-</u>	
	Vatertight sewer	lines Seepage p	it Feedvard	Fertilizer s	- =	
Directi	ion from well .	None within a 1/4	mile	Distance	from well	
FROM	то	LITHOLOG	IC LOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 1	Topso	il				
1 4	10 Shale					
40	100 Shale	Sandstone				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .9/14/2015 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No897 This Water Well Record was completed on (mo/day/year)						
under the business name of Peterson McNett Drilling, Inc. by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to						
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW. Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-796-5574. Send one const. to WATER WELL OWNER and cetain one for your records. Include for of \$5.00 for each constructed well. Visit us at						

http://www.kdheks.gov/waterwell/index.html