USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeko, Kansas 66620

		<del></del>		
1. Location of well:	Fraction	Section number	Township number	Range number
1. Location of well: CLoud.	1/4/5/2 NW/4	9/	$ _{\tau}$ $\mathcal{S}$	R & E/W
2. Distance and direction from nearest town of city:		wner of well: NOR	may Tab	2 500/
2. Distance and direction from nearest town of City:	u-5miles RR	or street: R-11	IIII VUIII H	75270
Street address of well location if a city:	_		CLUDE HAN	SAS 66938
LASI - UNE SOM		sidicy zip code.		975 /
4. Locate with "X" in section below:	Sketch map:		6. Bore hole dia. 32 in Well depth 53 ft.	
			7 Cable tool Rotar)	
		, (	/ Cable fool Kotar)	7
NW79   - NE   Well 13				
Well is located in middle of tield			8. Use: Domestic F	
	// Cocar		Lawn	Air conditioning Stock Dil field water Other
SW SE	J ille	offield	9. Casting: Waterial	Height: Above or below
	Middle		Threaded Welded	
S	Sprinkter	Sictor	RMP P <u>V</u> C	
1 Mile ————————————————————————————————————	Sprinkier	System	Dia/12 in. ta 52 ft. de	pth Wall Thickness: inches or
5. Type and color of material		From To	Dia in. to ft. de	pth gage No.
	1/ 0:-	1	10 scholen: Manufacturer's	happy Casiala
Black	Grey Soil	0 23	Type Transite	401NY / 11
	1	+	Slot/gauze 533	Dia
L tin	e Sand.	23 28	Set between 39	_ft. andft.
Ana	ual		ft.	andft.
	vel	28 35	Gravel pack? Size r	ange of material
Grey	CLAY	35 37	11 Statte water level:	mo./day/yr.
7,04		/	ft. below land su	irface De 44.29,1926
tool	d Course Gravel	37 52	12/Pumping level below lar	
			#5 ft. after	
		CLAY	ft. after Estimated maximum yield	hrs. sping g.p.m.
		/	13. Water sample submitted:	
			Ves No	Date HU4.30.1976
			14. Well head completion:	
			No Pitless adapter	Inches above grade
			15. Well grouted?	1
				Bentonite Concrete
		+ +		10 ft.
			16. Regrest source of possito	le confamination: RIVET
			ft: Mrection Well disinfected upon compl	
			17. Pump:	Not in the
			Manufacturer Was STer	rathubkoller "
, , - 101.00 december 1		1	Model number	HP SETYGIAL
			Length of drop pipe 50	ft. capaci <b>//20</b> _g.p.m.
			Туре:	
	T-1-T-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	+ + -	Submersible	Turbine
(Use a second si	heet if needed)		Jet Centrifugal	— Reciprocating S
18. Elevation: 19. Remarks:	,	1	20. Water well contractor's	
To the state of th				ny jurisdiction and this report
		,	is true to the best of my know	w Sige and belief.
Topography:		q	ALL I HOMAN	1000 241 5 N
— HIII			Business northe /6 MC CON	and License-No 1
Slope		A	120	Der. 13
Opland Valley		Ч	Sign Call Market (1) Authorized re	presentative Date 7/
				17/6