USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	Fraction of walls		number 2	Township number	Range number	
CLOUCE CLOUCE	1/4 1/4 SW 1/4			T 5 s	R & E/W	<u> </u>
Distance and direction from nuarest town or g	hy: 3. C	Owner of wel	1 CIN	icent Cha	rbonneau	
Street address of well location it in city:	ncoedia ANORTH R.R.	, or streets	13.	Concordia	1.60.	
Sireer dasies of their localities in the city.	Teneral Control of the Control of th	, state, Lip	code:	KANS	25 66401 2	2
4. Locate with "X" in section below:	Sketch map: Well		l	6. Bore hole dio.	. Complete de la 200	
N	Javett	1 Nlos	<i>(</i>)	Well depth 4 ft.		4
	North of	FIVE	100	7 Cable tool Rotary		
	North of	hou	120		BoredReverse rota	'7
E E	(35)		1	8. Use: Domestic F	Nir conditioning Stock	į
fi				Lawn C		
SW SE	15		Ī	9. Casing: Material	Height: Above or below	7
ł X; l i	11-11			Threaded Welded	iSurfacei	
S	/			RMP PV9	Weightlbs./f	†·
1 → 1 Mile → 1		Т.	T -	Dia in. to ft. de	pth Wall Thickness in the or	
5. Type and color of material		From	То	10. Soffen: Manufacturer's		_
	1 5 /	7	8	Western	HASTIC	-1
MACK	2016		0	Туре	_ Dia	-
Time SAM	d & black Soil	9	16	Slot/gauze	Length 42 f	-
	G to 1	11/	1/5	ft.	andf	it.
900d	<u>Gravel</u>	16	42	Gravel pack?Size r	ange of material	=
57	MAIN GROVE			11. Static water level: ft. below land su	urface DINE 23. 19	*
	yseur ()			12. Pumping level below land		
			╂	22 ft. after		١.
				ft. after	hrs. pumping g.p.m	١.
				Estimated maximum yield —	g.p.n	<u>-</u>
				13. Water sample submitted: YesNo	Dat Vu/41, 1996	7
				14. Well head completion: Pitless adapter	12 Inches above grade	
		_	-	15. Well grouted?	. //	h
				With: Neat cement Depth: From ft. to	Bentonite Concret	* ¬ ! ^
, , , , , , , , , , , , , , , , , , , ,						-
				16. Decrest source of possible Direction	DETTE Type OFFIC	_
				Well disinfected upon comp		40
				17. Pump:	Not installed	~ <u>}</u> (
			-	Manufacturer's name Model number	3 HP 1/2 Volts 20	= K
				Length of drop pipe 34	ft. capacity	. '€)
				Туре:	- 1.	
				Submersible Jet	Turbine Reciprocating	ŀ.
	a second sheet if needed).**			Centrifugal	Other	i, √/
18. Elevation: 19. Remarks:		•	•	20. Water well contractor's		
1				This well was drilled under	my jurisdiction and this report	
Topography				is true to the best of my kno	wledge and belief.	9 IV
Topography:			(Business across	License M	6.
Slope				233E 16 C	KINEDIALA CHE	۲ ≥ ۲
Upland			(Someth	homewood 7/	/ - i
Valley.				Authorized re	presentative	2 2

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5