			WATER	WELL RECORD	Form WW	C-5 KSA 82a	1212	
1 LOCAT	ION OF WA	TER WELL:	Fraction		_	Section Number	Township Number	Range Number
County:	Cloud		SW 1/4	SW 1/4	SW 1/4	35	т 5 - 8	6 R 2 E/W
Distance a	and direction	from nearest town	or city street ac	dress of well if loca	ted within ci	у?		
2 WATE	R WELL OV	NER: 0						
	Address, Bo	CHKIS	TENSEN O	IL CO.			Board of Agricult	ture, Division of Water Resources
1 '		1. / 2. 1.	Lincoln				•	,
	e, ZIP Code		rdia, KS	66901			Application Num	
AN "Y"	IN SECTIO							
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		۱ D						. ft. 3
17	ı	ıw	ELL'S STATIC	WATER LEVEL	30	ft. below land surf	ace measured on mo/d	ay/yr
	1		Pump	test data: Well wa	iter was	40 ft. at	terhou	rs pumping / gpm
	NW	NE F						
	:		st. Yield gpm: Well water was					
š w			·					
-								11 Injection well
1 .	SW	SE	Domestic	3 Feedlot				12 Other (Specify below)
1 1	1	1	2 Irrigation	4 Industrial	7 Lawn a	nd garden only	Monitoring well	
	1	ı W	/as a chemical/b	acteriological sample	submitted t	Department? Ye	s; l	f yes, mo/day/yr sample was sub
		, m	itted			Wat	er Well Disinfected? You	es No
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Co	ncrete tile	CASING JOINTS:	Glued Clamped
1 St		3 RMP (SR)		6 Asbestos-Cemen		ner (specify below		Welded
(2 P)	_	4 ABS		7 Fiberglass			,	Threaded
			56	•				
DIANK CAS	ing diameter	<i>O</i> in.	111					TIESC 1
Casing he	eight above l	and surface	· . - 49	ئ weight			t. Wall thickness or gau	ige NoPITIESS UNIT
TYPE OF	SCREEN O	R PERFORATION I	MATERIAL:		<u> </u>	PVC.)	10 Asbestos	cement
1 St	teel	3 Stainless st	teel	5 Fiberglass	8	RMP (SR)	11 Other (sp	ecify)
2 Br	rass	4 Galvanized	steel	6 Concrete tile	9	ABS	12 None use	d (open hole)
SCREEN	OR PERFO	RATION OPENINGS	S ARE:	5 Gau	zed wrappe	d	8 Saw cut	11 None (open hole)
1 Ca	ontinuous slo	t 3 Mill :	slot		wrapped		9 Drilled holes	, ,
	ouvered shut		punched	7 Toro			10 Other (specify)	
		,				,	10 Office (specify)	. ft. to
SCHEEN-	PERFURAT	ED INTERVALS:						
								, ft. toft.
(GRAVEL PA				44	ft., Fron	n 9 . <i>9</i>	. ft. to
		BenTonil	From	46 ft. to	- 44	ft., Fron	n	ft. to ft.
6 GROU	T MATERIAL			Cement grout	(3 Be	entonite 4	Other	
Grout Inte	ervals: Fro	n	to 25	ft., From		t. to	ft., From	ft. to
What is th	ne nearest so	ource of possible co	ntamination:			10 Livest	ock pens	14 Abandoned water well
		4 Lateral	lines	7 Pit privy		11 Fuel s	,	15 Oil well/Gas well
2 Sewer lines		5 Cess po		8 Sewage lagoon				16 Other (specify below)
3 Watertight sewer lines 6 See				9 Feedyard			•	To Other (specify below)
ı	-		- 1	9 Feedyard			icide storage	
	from well?	norT			T 5001	How man		NG INTERVALS
FROM	ТО		LITHOLOGIC L	.OG	FROM	† <u>TO</u>	PLUGGI	NG INTERVALS
0	5	-	 & clay 					
5	28	Clay						
28	41	Fine sa	nd					
41	46	Gravel			T			
46	66		olt como	clay laye	rel			
66	7.6				-3			
1				y layers				
76		Fire cl	a yr					
1	· · · · · · · · · · · · · · · · · · ·							
7 CONTI	RACTOR'S	DR LANDOWŅĒR'Ş	ÇEŖŢĮFICATIO	DN: This water well	was (1) com	structed, (2) reco	nstructed, or (3) plugge	d under my jurisdiction and was
_	RACTOR'S (111	20/94	ON: This water well	was (1) coin			d under my jurisdiction and was
completed	on (mo/day	year)	20/94			and this recor	d is rue to the best of r	
completed Water We	l on (mo/day	year)	20/94 480	ON: This water well This Water ing Co. Inc	Well Record	and this recor	d is rue to the best of r on (mo/day/yr)	
completed Water We under the	l on (mo/day ell Contractor business na	year)	20/94 480 ms Drill	This Water ing Co. Inc	Well Record	and this recor was completed of by (signat	d is true to the best of ron (mo/day/yr)	