WATER WELL RECORD		Form WWC-5		Divisi	ion of Water	r Resources App. No).	
1 LOCATION OF WA		Fraction		Section 1	Number	Township No.	Range Number	
County: Phi-//i	<i>p</i> s	SE4 SE45	<u> E¼ NY¼</u>		9	T 5 S	R 20 □E 🕬	
Street/Rural Address of Well Location; if unknown, distance & direction						System (GPS) in		
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)				
				Longitude: (in decimal degrees)				
3 25 /W of Fogage				Elevation: <u>Datum</u> :				
2 WATER WELL OWNER:				Collection Method:				
RR#, Street Address, Box #: Dane Hansen TrusT				GPS unit (Make/Model:)				
City, State, ZIP Code: 110 w Main 25 2000 Ks_ 67646				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
A LOCATE WELL	Logi	en Ka. C	, 1676	Est. Accu	ıracy:	3 m, <u></u> 3-5 m, <u></u>	5-15 m, <u></u> >15 m	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L 133	5	ft			
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
N	WELL'S STATIC WATER LEVEL							
	Pump test data: Well water wasft. after hours pumping gpm							
NW NE	EST. YIELD. Well water was							
W E Bore Hole Diameter Tin. tott., andin. tott.								
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected?								
5 TYPE OF CASING USED: Steel VVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface3.0								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
I ouvered shutter Key nunched Wire wranned Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From. 1.15								
Fromft. toft., Fromft. toft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination: Septic tank								
Sewer lines					e Ahandoned water well			
☐ Watertight sewer l		pit 🔲 Feedyard	Fertilizer st] Oil well/ga	s well $\rho_{\mathcal{A}}$	sture	
Direction from well	9/1 gr	0.4 N.d	Distance	from well				
FROM TO	LITHOLOG	GIC LOG	FROM	TO I	LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
135 131 54	ale							
171 25 50	end + Sq	ndstone				 		
25 16 89	ndy cl	a y						
16 0 50	<i>ī/'</i>	*			,			
			-					
			+					
			+					
7 CONTRACTORIS OF	DIANDOUME	D'S CEDTIEICATIO	N. This water	ar well was	Donat	uoted 🗆 reconst	acted or Dalugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. 200. This Water Well Record was completed on (mo/day/year).								
under the hisiness name	of GAHSC	Well Well	Prilli	bed (sion	nature)	oren Dett	kell	
under the business name of Gott. Sch. q. IK W.E.I Prillingy (signature) Levy. Dettackeld								
(white, blue, pink) to Kansas	Department of Health	and Environment, Bureau	of Water, Geold	ogy Section,	1000 SW Jac	ckson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Se	nd one copy to WAT	TER WELL OWNER and	retain one for y	our records.	Include <u>fee</u>	of \$5.00 for each c	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212								
15011 054-1515								