1	D. I. Il.	as Carm	<i>z</i> "	ATER WE	L RECORD	Form W	NC-5	KSA 82a-	1212				
1 LOCAT	ION OF A	TER WELL:	Fraction		L RECORD	roiiii vv		Number		Number	Range Nu	ımber	
County:		8	KV	N/4 5	E 14	5W 1/4		4	T .5	S	R 20	E/W	
Distance	and direction	from parest to	• • •			ated within	city?	0	. 1				
on	P mil	e Sould	and o	of m	ule ?	Vest of	1 7	edon	Bours	a c			
2 WATE	R WELL OW	NER: To	144 9	the	0 00								
RR#, St.	Address, Bo	x#:		may.	ack	W)			Board o	of Agriculture,	Division of Water	r Resources	
City, State	e, ZIP Code	:	11/2	. Fa	you	Trans	or .		Applica	tion Number:			
3 LOCAT	E WELL'S L	OCATION WITH	4 DEPTH	OF COMPL	ETED WELL	62		ft. ELEVAT	ION:				
AN "X"	IN SECTION	Й ВОХ:			Encountered						3	1	
<u> </u>	1	1				- 1 '-	•						
1	1										umping		
	Est. Yield ft. after hours pumping												
<u>.</u>	Bore Hole Diameter 19 in to 62 ft and in to												
₹ "	W									Injection well			
1	CVA/	!	1 Dom	estic	3 Feedlot	6 Oil fiel	d water	supply 9	9 Dewatering	12	Other (Specify b	elow)	
	3W	36	2 Irriga	tion	4 Industrial	7 Lawn	and gard	len only 1	0 Monitoring	vell,			
l L	iχ		Was a chen	nical/bacteri	ological samp	ole submitted	to Depa	rtment? Ye	sNo	lf yes	s, mo/day/yr samp	ole was sub-	
1 -		5	mitted					Wate	er Well Disinfe	cted? Yes	No		
5 TYPE	OF BLANK (CASING USED:		5 W	ought iron	8 C	oncrete	tile	CASING	JOINTS: Glue	ed Cl ampe	ed	
1 St		3 RMP (S	R)	6 As	bestos-Ceme	ent 9 C	ther (sp	ecify below)	Weld	ded		
Ø [₽]		4_ABS	,	6 3	erglass					Thre	eaded		
Blank cas	ing diameter		.in. to 6.	. 7	ft., Dia	أسررون	n. to	 .	ft., Dia		in. to	ft.	
Casing he	ight above la	and surface	.26	in., w	eight	. 1.6.0	~	Ibs./ft	t. Wall thickne	ss or gauge N	No		
		R PERFORATIO	N MATERIAL	_:		\mathcal{C}	PVC		10 /	Asbestos-cem	ent	. '	
1 St		3 Stainles	s steel		Fiberglass 8 RMP (SR)			SR)	11 (Other (specify)		
2 Br		4 Galvani:		6 Co	6 Concrete tile 9 Al				12 1	None used (o	pen hole)		
_		RATION OPENIN			5 Gauzed wrapped				8 Saw cut		11 None (oper	n hole)	
	ontinuous slo		fill slot			ire wrapped			9 Drilled hole				
	ouvered shutt		ey punched	42		orch cut	,		٠.			1	
SCHEEN-	PERFORATI	ED INTERVALS:	_			•					to		
	CDAVEL DA	CK INTERVALS	From	UC	ft. to ft. to		a				to		
'	SHAVEL PA	CK INTERVALS:	: From From	7	_		~				to		
6 GBOLI	T MATERIAL	.: 1 Neat		(A)	ft. to		Bentonite	ft., From		ft		ft.	
Grout Inte		•	ft. to		•				ft., From				
		_		•	., 110111.		11. 10.					well	
What is the nearest source of possible contamination 1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel storage			14 Abandoned water well 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool					8 Sewage lagoon			12 Fertilizer storage			16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit					9 Feedyard			13 Insecticide storage All of a mile				nela !	
Direction	•		Jugo pit		o i coayan			How man	-	97	1001	124.0	
FROM	ТО	0	LITHOLO	GIC LOG		FRO	М	TO	y loca:	PLUGGING	INTERVALS	11.29	
0	20	Surl	as Ol	44	^								
90	26	Helse	T MOS	llow	Plan	e							
26	35	Film	, ola										
35	45	Hara	100 lu	100									
45	60	2/10	Keto Od	sel									
60	62	Blue	Ska	10									
		9-1-2											
											·		
	L.,						1					<u> </u>	
Z CONTI	RACTOR'S	OR LANDOWNE	R'S CERTIFI	CATION: TI	nis water we	l was (1) co					der my jurisdictio		
completed on (mo/day/year) 8													
Water Well Contractor's License No													
	business nai		ndus	not	sellen	y		by (signatu		roly (moleso	السا	
INSTRU	ICTIONS: Use ty th and Environm	pewriter or ball point ent, Bureau of Water	pen. PLEASE PF , Topeka, Kansas	RESS FIRMLY a 66620-0001.	nd <i>PRINT</i> cl ear) Telephone: 913-2	r. Please fill in bl 296-5545. Send o	anks, unde	rline or circle to ER WELL OW	the correct answei NER and retain or	s. Sepa top three	copies to Kansas De	partment	