		WATE	R WELL RECORD	Form WWC-5	KSA 82a	-1212		
1 LOCATION OF W		Fraction			tion Number	Township Numb	er	Range Number
County: Philli			NV 1/4 SE			Т 5	S P	20 EM
Distance and direction	on from nearest tow	vn or city street a	address of well if locate	•				
2 WATER WELL O	MAID: Marris	r Cottoobo		5 s1 1 W	est Log	gan		
RR#, St. Address, B	lov # .	y Gottscha]	LK			Poord of Agric	ultura Divisio	on of Water Resources
City, State, ZIP Code	Π•Π•	Logan	67646			Application Nu	,	on of water resources
	· · · · · · · · · · · · · · · · · · ·		COMPLETED WELL.	66	# ELEVA			
AN "X" IN SECTION	ON BOX:		dwater Encountered					
ī ['`	WELL'S STATE	WATER LEVEL	40 # b	alow land sur	face measured on mo		6-0-83
		Pum	p_test data: Well wat	er was 50	0 ft af	ter 2 h	nurs numning	10 gpm
NW	- NE	Est. Yield	0-12gpm: Well water	er was	ft. af	ter h	ours pumping	, gpm
<u>.</u>			eterin. to					
W I		WELL WATER	TO BE USED AS:	5 Public wate	r supply	8 Air conditioning	11 Inject	ion well
ī w	X I	Domestic	3 Feedlot	6 Oil field wat	ter supply	9 Dewatering	12 Other	on well (Specify below)
- ''' - '	·	2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Observation well		1
<u> </u>		Was a chemical/	bacteriological sample	submitted to De	epartment? Ye	sNo	.; If yes, mo/d	ay/yr sample was sub-
	\$	mitted			Wat	er Well Disinfected?		No Clamped
5 TYPE OF BLANK			5 Wrought iron	8 Concre				l l
1 Steel	3 RMP (SF	H)	6 Asbestos-Cement		(specify below	•		
Plank casing diameter	4 ABS	in to *****	7 Fiberglass					
Casing height above	land surface 1	.m. то . т т э.ө т . . 2						
TYPE OF SCREEN			.in., weight	7 PV	ibs./ī	t. wall thickness or g 10 Asbesto		
1 Steel	3 Stainless		5 Fiberglass		IP (SR)			
2 Brass	4 Galvaniz		6 Concrete tile	9 ABS		•	sed (open ho	
SCREEN OR PERFO				ed wrapped	_	8 Saw cut	٠,	None (open hole)
1 Continuous s	lot 3 M	ill slot		wrapped		9 Drilled holes		()
2 Louvered shu	utter 4 Ke	ey punched .	7 Torch					
SCREEN-PERFORA	TED INTERVALO					10 Other (specify) .		
JOHLEN ENFORA	TED INTERVALS:	From 40	ft. to .		ft., Fron	n	ft. to	ft.
JOHLEN ERFORA	TED INTERVALS:	From	ft. to .	60	ft., Fron	n	ft. to	
	ACK INTERVALS:	From	ft. to .	60	ft., Fron	n	ft. to	
GRAVEL P	ACK INTERVALS:	From From	ft. to	60	ft., Fron ft., Fron ft., Fron	n	ft. to ft. to ft. to	
GRAVEL P	ACK INTERVALS:	From From	ft. to	60 66	ft., Fron ft., Fron ft., Fron nite 4	n	ft. to ft. to ft. to	
GRAVEL P GROUT MATERIA Grout Intervals: Fr	ACK INTERVALS: AL: Neat com 5.	From From tement ft. to	ft. to	60 66	ft., Fron ft., Fron ft., Fron nite 4 (n	ft. to	ft
GRAVEL P 6 GROUT MATERIA Grout Intervals: Fr What is the nearest	AL: Neat com 5	From	ft. to	60 66	ft., Fron ft., Fron nite 4 o	n	ft. to	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank	ACK INTERVALS: AL: 1 Neat of om 5	From Sement 1.5 contamination: al lines	ft. to	66	ft., Fron ft., Fron nite 4 to.	n	ft. to ft. to ft. to ft. to ft. to ft. to ft. 14 Abando 15 Oil well	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: AL: Neat com 5	From	ft. to	66	tt., Fron ft., Fron ft., Fron ft.	n	ft. to ft. to ft. to ft. to ft. to ft. to ft. 14 Abando 15 Oil well	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se	ACK INTERVALS: AL: 1 Neat of om 5	From	ft. to	66	tt., Fron ft., Fron ft., Fron ft.	n	ft. to ft. to ft. to ft. to ft. to ft. to ft. 14 Abando 15 Oil well	to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	ACK INTERVALS: AL: Neat com 5	From	ft. to	66	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to ft. to ft. to ft. to ft. to ft. to ft. 14 Abando 15 Oil well	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 45	ACK INTERVALS: Neat com	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45	ACK INTERVALS: AL: 1 Neat com	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45	ACK INTERVALS: AL: 1 Neat com	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P. GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P. GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P. GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P. GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P. GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P. GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P. GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P. GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63	ACK INTERVALS: AL: 1 Neat of om	From From Sement ft. to	ft. to	3 Benton ft. 1	tt., Fron ft., Fron ft., Fron ft.	Other	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 63 66	ACK INTERVALS: AL: Neat com. 5. Source of possible 4 Laters 5 Cess ewer lines 6 Seep Clay Clay Clay Shale	From	ft. to	66	tt., Fron ft., F	n	ft. to	to ft. to ft. ft. ft. ft. ft. ft. ft. ft.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63 63 66	ACK INTERVALS: AL: Neat com. 5. Source of possible 4 Laters Sewer lines 6 Seeps Of clay Offine Clay Shale OR LANDOWNER	From From Sement 1.5 contamination: al lines pool age pit LITHOLOGIC Sand	ft. to	3 Benton ft. ft.	tt., Fron ft., F	n	ft. to	to ft. to ft. ft. to ft. ft. ft. grade water well fgas well specify below)
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63 63 66 7 CONTRACTOR'S completed on (mo/da	ACK INTERVALS: AL: Neat com. 5. Source of possible 4 Laters 5 Cess ewer lines 6 Seep. Of clay Ofine 6/clay shale OR LANDOWNER y/year) 6-9	From From Sement 1.5 contamination: al lines pool age pit LITHOLOGIC SAND	15	3 Benton ft. oon	tt., Fron ft., F	n	ft. to	to ft. to ft. ft. to ft. ft. ft. ft. ft. grad water well /Gas well specify below)
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 50 63 63 66 7 CONTRACTOR'S completed on (mo/da Water Well Contractor	ACK INTERVALS: AL: Neat com. 5. Source of possible 4 Laters 5 Cess Ewer lines 6 Seep. Clay Clay Shale OR LANDOWNER Sy/year) 6-9 or's License No.	From From Sement of the to 15 contamination: al lines pool age pit LITHOLOGIC Sand R'S CERTIFICATION 19 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	to	3 Benton ft. oon	tt., Fron ft., F	n	ft. to	to ft. to ft. ft. to ft. ft. ft. ft. ft. grad water well /Gas well specify below)
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO 0 45 45 50 63 66 7 CONTRACTOR'S completed on (mo/da Water Well Contracto under the business in INSTRUCTIONS: Use	ACK INTERVALS: AL: Neat com. 5. Source of possible 4 Laters 5 Cess ewer lines 6 Seep: Of clay of fine 6/ clay shale OR LANDOWNER y/year) 6-9 or's License No. ame of MAR e typewriter or ball p	From From Sement of the to 15 contamination: al lines pool age pit LITHOLOGIC sand	to	3 Benton ft. oon FROM Ass (1) construction was described by the second was described b	tt., Fron ft., F	non model of the structed of the storage of the sto	ft. to	to ft. to ft. to ft. ft. ft. ft. ft. ft. ft. ft.