WATER WELL R Original Record			sion of Water urces App. No.		Well ID		
1 LOCATION OF W	VATER WELL: Fraction	0 0 4	ion Number	Township Number			
2 WELL OWNER: Last Name: JOHN First: LES Street or Rural Address where well is located (if unknown, distance and							
Business: Address: //O/ LIMESTONE RD. Address: Address: Address:							
Address:	KAPOLIS State: KS ZIP:	1101	W_{i}	INDUSTI	ALL TO.		
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL;	,ft.	5 Latitude	·	(decimal degrees)		
SECTION BOX:	Depth(s) Groundwater Encountered: 1)	P.:Y ft.	Longitud	le:	(decimal degrees)		
N	WELL'S STATIC WATER LEVEL: () ()	1 2] WGS 84	33 □ NAD 27		
NW NE	below land surface, measured on (mo-da) above land surface, measured on (mo-da)	y-yr) (27.7.7 .7.7.7 v-vr)	□GPS	(unit make/model: (WAAS enabled? ☐ Y) /es □ No)		
	Pump test data: Well water was	Pump test data: Well water was			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:		
W E	Well water was	ft.	Onlin	ne Mapper:			
SW SE	after hours pumping Estimated Yield:gpm	gpm			☐ Ground Level ☐ TOC		
S mile	Bore Hole Diameter: in. to	_			S Topographic Map		
7 WELL WATER TO BE USED AS:							
1. Domestic: Household	5. □ Public Water Supply: well ID6. □ Dewatering: how many wells? .				se		
☐ Lawn & Garden	7. Aquifer Recharge: well ID	II. Test Hole: well ID					
Livestock 2. Irrigation	8. Monitoring: well ID		12. Geothermal: how many bores?				
3. Feedlot	☐ Air Sparge ☐ Soil Vapor	☐ Air Sparge ☐ Soil Vapor Extraction b) Open Loop ☐ Surface Discharge ☐ Inj. of Wa					
4. Industrial Recovery Injection 13. Other (specify):							
Water well disinfected? X Yes □ No							
8 TYPE OF CASING USED: Steel PVC Other							
Casing height above land surface 2.4 in. Weight 160 lbs./ft. Wall thickness or gauge No. 20.4							
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Fiberglass □ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☑ Mill Slot • Date ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Nearest source of possible contamination:							
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☐ Other (Specify)							
Direction from well? ft.							
10 FROM TO	SDIU BLACK	FROM	TO LI	THO. LOG (cont.) or Pl	LUGGING INTERVALS		
6 46	CLAY DACK TAN			CHAIRM M.	Humed to Sender		
46 64	CLAY BEAY W/SAND LA	yre		TOP COME	remed to so		
64 111	SANDSTONE TAN				nen Datel		
		BY-4-					
	Notes:						
11 CONTRACTORIS OR LANDOWNERDIS GERMINICATION TO							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Contractor's License No. (304 This Water Well Record was completed or mortlay-fear) 0.1							
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$6.00 for each constructed well along with one (with) copy to Kansas							
Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansay 66612-1367. Telephone (785) 296-3565. Visit us at http://www.kdhcks.gov/waterwell/index.html Revised 9/10/2012							