WATEL	R WELL	RECORD	Form WW	C-5	Division of Wa	ter Resources; App. No.		
		WATER WELL:	Fraction	<u> </u>	Section Number		Range Number	
Coun	ty: Nort o	n	1/4 1/4		8	T 5 S	R 21 E	
Dista	Distance and direction from nearest town or city street address of well if located within city? 1 East and 1/2 south of Densmore Latitude: 30°38°16.8°N							
located within city? I East and 1/2 south of Densmore					Latitude: 39°38'16.8"N			
2 WATER WELL OWNER: Wyrill Farming, Inc.					Longitude: 99°43°18.4°W Elevation:			
	, St. Addres	myriti iu						
	State, ZIP				Datum:	Matha 1.		
• •		KTIMIII) Kai		48	Data Collection			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
WITH AN "X" IN Depth(s) Groundwater Encountered (1)25								
	SECTION BOX: WELL'S STATIC WATER LEVEL25 ft. below land surface measured on mo/day/yr7/7/08							
	N Pump test data: Well water was							
	Est. Yieldgpm: Well water wasft. after hours pumping							
NW	WELL-WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 9 Provention of the law to the supply 2 Facility of the law to the supply 3 Facility of the law to the supply 4 Provention of the law to the law to the supply 4 Provention of the law to the law to the supply 4 Provention of the law to the l							
W	W Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
'			iustriai / Donne	suc (lawii	& garden) 10 M	•		
SW	SW SE Was a chemical/bacteriological sample submitted to Department? Yes .X No; If yes, mo/day/yrs							
Sample was submitted								
s								
5 TYPE	E OF CASI			ncrete tile	CASI	NG JOINTS: Glued	Clamped	
1:	Steel	3 RMP (SR) 6 Asbestos	-Cement 9 Otl	ner (specif	fy below)	Welded.		
2 PVC 4 ABS 7 Fiberglass								
Blank casing diameter 5 in. to 0 ft., Diameter in. to ft.								
Casing height above land surface 36								
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.								
Grout Intervals: From								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
			8 Sewage lagoon	11 Fuel		Abandoned water well		
3	Watertight	sewer lines 6 Seepage pit	9 Feedyard	12 Ferti	lizer Storage 15	Oil well/gas well		
		1?						
FROM		LITHOLOGIC		FRO	M TO	PLUGGING INT	TERVALS	
0	10	Top soil & sandy cl						
10	20	Medium sand to coar						
20	40	######################################						
40	45	Medium sand to fine						
45	48	Shale	Praver		-			
7.7	70							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
under th	e business	name of Unas. Sargent	ASE PRESS FIRMIV OF	d PRINT of	by (Signature)	underline or circle the	correct answers Send ton	
three copi	les to Kansas l	Department of Health and Environment	ent, Bureau of Water, Go	cology Section	on, 1000 SW Jackson	., Suite 420, Topeka, Kansa	s 66612-1367. Telephone	
783-290-3322. Selid one to WATER WELL OWNER and retain one for your records. Fee 1 \$3.00 for cach constituted wen.								
http://www.kdhe.state.ks.us/geo/waterwells.								