

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

Empty box for application number

1 LOCATION OF WATER WELL: County: Norton, Fraction 1/4 1/4 SE 1/4, Section Number 14, Township Number T 5 S, Range Number R 21 E/W

Distance and direction from nearest town or city street address of well if located within city? 5 E & 1 1/2 S of Densmore, Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 39°36'42.4"N, Longitude: 099°38'55.0"W

2 WATER WELL OWNER: Lee Brobst, RR#, St. Address, Box #: 3880 390th Avenue, City, State, ZIP Code: Logan, Kansas 67646, Elevation, Datum, Data Collection Method

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram], 4 DEPTH OF COMPLETED WELL: 40 ft., Depth(s) Groundwater Encountered, WELL'S STATIC WATER LEVEL: 23 ft. below land surface measured on 8/19/2008, Pump test data, Est. Yield, WELL WATER TO BE USED AS: 1 Domestic, 2 Irrigation, 3 Feedlot, 4 Industrial, 6 Oil field water supply, 7 Domestic (lawn & garden), 8 Air conditioning, 9 Dewatering, 10 Monitoring well, 11 Injection well, 12 Other (Specify below), Was a chemical/bacteriological sample submitted to Department? No, Water well disinfected? Yes

5 TYPE OF CASING USED: 1 Steel, 2 PVC, 3 RMP (SR), 4 ABS, 5 Wrought Iron, 6 Asbestos-Cement, 7 Fiberglass, 8 Concrete tile, 9 Other (specify below), CASING JOINTS: Glued, X Clamped, Welded, Threaded, Blank casing diameter: 5 in. to 20 ft., Diameter, Casing height above land surface: 36 in., Weight, Wall thickness or gauge No. SDR 21, TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 2 Brass, 3 Stainless Steel, 4 Galvanized Steel, 5 Fiberglass, 6 Concrete tile, 7 PVC, 8 RM (SR), 9 ABS, 10 Asbestos-Cement, 11 Other (Specify), 12 None used (open hole), SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 2 Louvered shutter, 3 Mill slot, 4 Key punched, 5 Guazed wrapped, 6 Wire wrapped, 7 Torch cut, 8 Saw Cut, 9 Drilled holes, 10 Other (specify), 11 None (open hole), SCREEN-PERFORATED INTERVALS: From 20 ft. to 40 ft., GRAVEL PACK INTERVALS: From 20 ft. to 40 ft.

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other, Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft., What is the nearest source of possible contamination: 1 Septic tank, 2 Sewer lines, 3 Watertight sewer lines, 4 Lateral lines, 5 Cess pool, 6 Seepage pit, 7 Pit privy, 8 Sewage lagoon, 9 Feedyard, 10 Livestock pens, 11 Fuel storage, 12 Fertilizer Storage, 13 Insecticide Storage, 14 Abandoned water well, 15 Oil well/gas well, 16 Other (specify below), Direction from well? How many feet?

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0-2 Top soil, 2-10 Medium sand & sandy clay, 10-15 Medium sand & sandstone, 15-25 Sandy clay, 25-35 Medium sand to fine gravel, 35-37 Lime & sandy clay, 37-40 Shale.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/19/2008 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 433. This Water Well Record was completed on (mo/day/year) 8/22/2008 under the business name of Chas. Sargent Irrigation Co., Inc. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.