

1) LOCATION OF WATER WELL: County: Norton Fraction SE 1/4 SE 1/4 SE 1/4 Section Number 9 Township Number T 5 S Range Number R 21 EW

Distance and direction from nearest town or city street address of well if located within city? 7 Miles West 1 1/2 South of Logan, Kansas

2) WATER WELL OWNER: Bob Archer RR#, St. Address, Box #: Logan, Kansas City, State, ZIP Code: Board of Agriculture, Division of Water Resources Application Number:

3) LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram of a 2x2 section grid with NW, NE, SW, SE quadrants and an 'X' in the SE quadrant.] 4) DEPTH OF COMPLETED WELL: 26 ft. ELEVATION: WELL'S STATIC WATER LEVEL: 7 ft. below land surface measured on mo/day/yr 5-16-89

5) TYPE OF BLANK CASING USED: 1 Steel, 2 PVC, 3 RMP (SR), 4 ABS, 5 Wrought iron, 6 Asbestos-Cement, 7 Fiberglass, 8 Concrete tile, 9 Other (specify below), CASING JOINTS: Glued X, Clamped, Welded, Threaded. Blank casing diameter: 4.5 in. to 10 ft., Dia. Casing height above land surface: 18 in., weight: 2.38 lbs./ft. Wall thickness or gauge No. 248. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 2 Brass, 3 Stainless steel, 4 Galvanized steel, 5 Fiberglass, 6 Concrete tile, 7 PVC, 8 RMP (SR), 9 ABS, 10 Asbestos-cement, 11 Other (specify), 12 None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 2 Louvered shutter, 3 Mill slot, 4 Key punched, 5 Gauzed wrapped, 6 Wire wrapped, 7 Torch cut, 8 Saw cut, 9 Drilled holes, 11 None (open hole), 10 Other (specify). SCREEN-PERFORATED INTERVALS: From 10 ft. to 26 ft. GRAVEL PACK INTERVALS: From 10 ft. to 26 ft.

6) GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other. Grout intervals: From 0 ft. to 10 ft. What is the nearest source of possible contamination: 1 Septic tank, 2 Sewer lines, 3 Watertight sewer lines, 4 Lateral lines, 5 Cess pool, 6 Seepage pit, 7 Pit privy, 8 Sewage lagoon, 9 Feedyard, 10 Livestock pens, 11 Fuel storage, 12 Fertilizer storage, 13 Insecticide storage, 14 Abandoned water well, 15 Oil well/Gas well, 16 Other (specify below). Direction from well? Southeast How many feet? 450

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows: 0 to 7 Surface, 7 to 14 Coarse Gravel, 14 to 26 Shale.

7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-16-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 394 This Water Well Record was completed on (mo/day/yr) 5-29-89 under the business name of Woofter Pump & Well Serv. by (signature) [Signature]