WATER WELL RECORD				Division of Water Resources App. No.							
	COCATION OF WATER WELL: Norton Meet/Rural Address of Well Location; if unknown				ection N	umber	Township No	ımber	Range Num	mber	
Street/Rural	Address of	Well Location: if unk	Cl	hal Pos	sitioning	System (CPS	inform	etion:	E XW		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: Latitude: (in decimal degrees)											
From New Almelo go 1/2 nNEon #9 Hwy, Then 25 Longitude: (in decimal degrees)											
Latitude: (in decimal degrees) From New Almelo 30 1/2 nN for #9 Hwy: Then 25 miles east on RdCL. Turnsoit 1-4 go 1/4 miles to well WATER WELL OWNER: Jim Ninemeir WATER WELL OWNER: Jim Ninemeir WELL OWNER: Jim Ninemeir WELL OWNER: Jim Ninemeir Datum: WGS 84, NAD 83, NAD 27										grees)	
WATER WELL OWNER: Jim Ninemeir Datum: WGS 84, NAD 83, NAD 27											
004 \$	t Address	Boy# A A 4 /	1 2 1 1.10	ע ו			+, 🗆 NAD 63	, 🗀 🗤	AD 21	i	
RR#, St. Address, Box # 282LLRd W9 Lh City, State, ZIP Code					Collection Method: ☐ GPS unit (Make/Model:						
City, 5	iaic, ZII C	100	ra, Ks 67645	-	Digital	Mon/Phot	o, D Topographi		l Land Survey	/	
		LEND	16,11361616	l p	ct Accure	ow D	m , \square 3-5 m , \square 3	с мар, ∟ 5 15 Г	Talla Survey		
7 (004	TE WELL				St. Accura	су. 🗆 🕓	III, 🗀 3-3 III, 🗀 .	3-13 III, L	→ >13 III		
					00						
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 90 ft.											
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3)										ft.	
N WELL'S STATIC WATER LEVEL 52						ft. below land surface measured on mo/day/yr					
i	Pump test data: Well water was ft. after hours pumping gp										
NW NE EST. YIELD gpm: Well water was ft. after hours pumping gpm											
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well											
3 1	F 1							Other	(Specify below	w)	
sw	- SE -		Industrial Domestic-								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No											
S If yes, mo/day/yr sample was submitted											
Water Well Disinfected? ✓ Yes No											
· Vaina i	OINTS: D	Si Glued ☐ Clam	ped	Li Threadec	l	6	D: .			c.	
Gasing diameter 4.5 in. to 70 ft., Diameter in. to ft., Diameter in. to ft. Stasing height above land surface 18 in., Weight 2.38 lbs./ft. Wall thickness or gauge No248											
3 A asing neight above land surface 18 in., Weight 2.38 lbs./tt. Wall thickness or gauge No248											
TOWAR OF SCREEN OR PERFORATION MATERIAL:											
Steel Stainless Steel Z PVC Other (Specify)											
; ☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:											
SAREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)											
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) ☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) ☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) ☐ Continuous Slot ☐ Mill slot ☐ Wire wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) ☐ Continuous Slot ☐ Mill slot ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) ☐ Continuous Slot ☐ Mill slot ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) ☐ Continuous Slot ☐ Mill slot ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) ☐ Continuous Slot ☐ Mill slot ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) ☐ Continuous Slot ☐ Mill slot ☐ Wire wrapped ☒ Saw cut ☐ Other (specify) ☐ Continuous Slot ☐ Mill slot ☐ M											
		ED INTERVALS:	Erom 70	ft to	on _	other (sp	bechy)	ft to		64	
- STOIN-L	EKFOKATI	D INTERVALS.	From From 20	. It. 10		ft Fac	JIII	ft. to			
CP	AVEL DACE	INTERVALS:	ft to	· · · · · · · · · · · · · · · · · · ·	ft Ero)III	ft to		ft.		
GK/	AVELFACE	INTERVALS.	ft to		ft. E-)III	ft to		it.		
From ft. to ft., From ft. to ft. GROUT MATERIAL: Neat cement Comment Grout Bentonite Other Coul Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.											
GROU'	T MATERL	AL: D Neat ceme	nt 🖾 Cement grout	☐ Benton	nite [Other _					
Cout Inter	vals Fr	om 0 ft. to	20 ft. From	ft. to)	ft.	From		ft. to	ft.	
admit is the	nearest sour	ce of possible contam	ination:	_							
	tic tank	☐ Lateral lin		Livestock			icide storage		her (specify be	elow)	
	ver lines	Cesspool	☐ Sewage lagoon ☐				ioned water wel				
	12	r lines	oit	Fertilizer		☐ Oil we	ell/gas well	None			
Direction	from well			Distance fr	om well						
FROM	TO	LITHO	LOGIC LOG	FROM	TO	LITHO	. LOG (cont.) o	PLUG	GING INTER	VALS	
:0	2	Surface		85	90	Flint &	yellow ochre	& cali	che		
		Clay		90	105	Black s					
20		Fine to med sd w/o	caliche lenses								
25	36	Fine sand & sdsto	ne w/caliche lenses								
36	47	Fine sand w/calich	ie lenses								
47	72	Fine sand w/clay s	trks								
72			sd w/clay & caliche								
		Lenses									
30	85	Fine to some med	sd w/caliche & flint								
		strks									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
and this record is true to the best of my knowledge and belief.											
Monais Water Well Contractor's License No. 554 or 783 . This Water Well Record was completed on (mo/day/year) 7-1-10											
		of Woofter Pum		by (signatu			Calor		2		
	,					lo Kansae I	Department of U	ath and I	Environment R	urean of	
457 RUCTIONS: Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) o Kansas Department of Heath and Environment, Bureau of											
100 3 W Jackson 31., Suite 420, Topeka, Kansas 00012-1307. Telephone 783-230-3322. Send one to WATER WELL OWNER and tetaling the government of the first of the government of the send of											