

1 LOCATION OF WATER WELL:

County: Cloud

Fraction

SE %

NE %

NW %

Section Number

21

Township Number

T 5 S

Range Number

R 3 E

Distance and direction from nearest town or city street address of well if located within city?

3 mi. north of Concordia on Hwy 81

2 WATER WELL OWNER: 81 Texaco

RR#, St. Address, Box #

P.O. Box 667

City, State, ZIP Code

Salina, Kansas 67402

VIEW-4

Board of Agriculture, Division of Water Resources

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

1 Mile

N

W

NW

NE

SW

SE

E

S

4 DEPTH OF COMPLETED WELL

34

ft

ELEVATION:

1367.42

Depth(s) Groundwater Encountered

1

ft

2

ft

3

ft

WELL'S STATIC WATER LEVEL

ft below land surface measured on mo/day/yr

Pump test data: Well water was

NA

ft after

hours pumping

gpm

Est. Yield

NA

gpm: Well water was

ft after

hours pumping

gpm

Bore Hole Diameter

11

in. to

34

ft. and

in. to

WELL WATER TO BE USED AS:

5 Public water supply

8 Air conditioning

11 Injection well

1 Domestic

3 Feedlot

6 Oil field water supply

9 Dewatering

12 Other (Specify below)

2 Irrigation

4 Industrial

7 Lawn and garden only

10 Monitoring well

Vapor extraction

Was a chemical/bacteriological sample submitted to Department?

Yes

No

If yes, mo/day/yr sample was submitted

Water Well Disinfected?

Yes

No

5 TYPE OF BLANK CASING USED:

1 Steel

3 RMP (SR)

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued

Clamped

2 PVC

4 ABS

6 Asbestos-Cement

9 Other (specify below)

Welded

Threaded

Blank casing diameter

4

in. to

34

ft. Dia

in. to

ft. Dia

in. to

Casing height above land surface

0

in., weight

2.071

lbs./ft.

Wall thickness or gauge No.

1237

TYPE OF SCREEN OR PERFORATION MATERIAL

1 Steel

3 Stainless steel

5 Fiberglass

7 PVC

10 Asbestos-cement

2 Brass

4 Galvanized steel

6 Concrete tile

8 RMP (SR)

11 Other (specify)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

9 Drilled holes

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS:

From

19

ft. to

34

ft.

From

ft. to

ft.

From

ft. to

ft.

From

ft. to

ft.

GRAVEL PACK INTERVALS:

From

17

ft. to

34

ft.

From

ft. to

ft.

From

ft. to

ft.

From

ft. to

ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Grout intervals: From

5

ft. to

15

ft.

From

15

ft. to

17

ft.

From

ft. to

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

How many feet?

0

FROM

TO

LITHOLOGIC LOG

FROM

TO

PLUGGING INTERVALS

0

10

Clean soil (compact)

10

28

Gravel, coarse (backfill)

28

34

Sand, native

VIEW4, Flushmount

Project Name: GF - 81 Texaco

KDHE # AS 015 40055

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was

1

constructed, (2) reconstructed, or (3) plugged under my jurisdiction

and was completed on (mo/day/year)

7/27/2003

and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No.

554

This Water Well Record was completed on (mo/day/yr)

4/5/2004

under the business name of

Wright Pump & Well, Inc

by (signature)

Gayle Wright

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-290-8545. Send one to WATER WELL OWNER and retain one for your records.