			ATER WELL RE	CORD Form	n WWC-5	KSA 82	a-1212 II	D No^	1W2		
1 LOCAT	ION OF W	ATER WELL:	Fraction				ion Numbe	er Town	ship Number	Range N	umber
County: (Toud	<u> </u>	NE 14	NE 14	NE		32_	T.5"	5 s	R 3	E/ (()
Distance a	and directio	n from nearest t	town or city stree	et address of we	Il if located	within city	۱).	ا م			
	S.	E. Mill	Rd &	Kroublin	can	Cona	ondia	بارح			
2 WATER	WELL OV	VNER:	im Read	w mix				•			
	Address, Bo , ZIP Code)X # .	cardia k	^9 / / / / / / <	,,,				d of Agriculture, cation Number:	Division of Water	er Resources
3 LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED V	NELL. 2	6,5	ft. ELE\	VATION:			
AN "X"	IN SECTIO	N BOX:	Depth(s) Grour	ndwater Encoun	tered 1.	ao.,	5.1	ft. 2		3	., ft.
 	N	X	WELL'S STATE	C WATER LEVE		ft. belov	v land surfa	ace measured	on mo/day/yr .	1	12.7
1	1	1 1							hours		
	- NW	NE							hours		
<u>0</u>	;]	1								. in. to	ft.
_ M —	ī	E	WELL WATER					8 Air conditi		Injection well	
	j		1 Domestic			field water		9 Dewaterin	well 12	Other (Specify I	
	- SW	SE	2 Irrigation	4 Industria	/ DOI	lesuc (lawri	a garden)	VIOLITORING	J Weil		
<u> </u>		<u> </u>	Was a chemical mitted	/bacteriological sa	ample submi	itted to Dep		es No ter Well Disin	o; If yes,		nple was sub- No
5 TYPE C	OF BLANK	CASING USED:		5 Wrought iron	n	8 Concret			NG JOINTS: GIL		
1 Stee	el	3 RMP (S	R)	6 Asbestos-C		9 Other (specify bel	low)	We	lded	
2 PVC	\sim	4 ABS		7 Fiberglass					Thr	eaded.	
Blank cas	sing diamet	er <i>2 0</i>	in. to15	O ft., Di	a	in.	to				
Casing he	eight above	land surface		in., weight			lb:	s./ft. Wall thic	kness or gauge	No 4.0)
TYPE OF	SCREEN	OR PERFORAT	TION MATERIAL	_:		O PVC	\supset		10 Asbestos-cei	ment	
1 Stee	el	3 Stainles		5 Fiberglass			(SR)		11 Other (specify)		
2 Brass 4 Galvanized steel 6 Concrete tile						9 ABS			12 None used (d	pen hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed							• •			11 None (op	en hole)
1 Continuous slot 2 Louvered shutter 4 Key punched 7 Torch cut							9 Drilled holes 10 Other (specify)				
			LS: From	110.0			ft Fro				
	GRAVEL F	PACK INTERVA	From LS: From	1.4.0	ft. to <i>A</i>	6.00	ft., Fro	om	ft.	to	ft.
			From					om	ft.	to	ft.
	MATERIA			2 Cement grou		3 Bentoni					
Grout Int	ervals: Fr	om	ft. to / <i>Co</i>	. Ø ft., Fro	m	ft.	to	ft., Fr	rom	\dots .ft. to. \dots .	ft.
		•	ble contamination					estock pens	14	Abandoned wate	ar well
1 Septic tank 4 Lateral lines			7 F	(11 Fuel storage			15 Oil well/Gas well			
2 Sewer lines 5 Cess pool					oon		tilizer storage		16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9 1			ecticide storag	je			
	from well?	T						any feet?			
FROM	TO		LITHOLOGIC L	OG .		FROM	то		PLUGGING I	NTERVALS	
0.0	1.0	GRAUE									
1.0	5.5	Siltyle	ean Clay		, c /						
3.5	18.5	Lt tok		at Clay	ne trad						
18.5	21.0	SANDY	Silf BRI	V Mare L	lay						
س 0 ،الک	aus	SANI									
	-										
			2.514//81-								
7 CONTR	ACTOR'S	OR LANDOWNE	R'S CERTIFICAT	TION: This wate	r well was ((1) constru	cted, (2) re	econstructed,	or (3) plugged u	nder my jurisdict	tion and was
completed	on (mo/day	y/year) <i>O.4.</i> ,	105/07						the best of my k		
		r's Licence No.		This W					yr) . O. Co/. C		<i></i>
under the I	business na	ame of 72	IDALES A.	mar D	-1//:			signature)	011	/	
INSTRUCT	TIONS: Use tvn	ewriter or ball point per	n. <u>PLEASE PRESS FIF</u>	RMLYand PRINT clea	rly. Please #II in	blanks, under	line or circle the	e correct answers	Send top three copies	to Kanga Denartment	t of Health and
Environme	nt, Bureau of W	ater, Topeka, Kansas 6	66620-0001. Telephone	785-296-5524. Send	one to WATER	WELL OWNER	R and retain one	e for your records. F	ee of \$5.00 for each co	onstructed well.	. s. mounifuld