			WAT	ER WELK RECORD	Eorm W	WC-5 KSA_8	2a-1212	Comme	<u> </u>	
LOCATION County:	N OF WATE Cloud	R WELL:	Fraction	NE 1/4	SW 1/4	Section Number 33			Range Numbe	er GZVW
	d direction fi 03 W. 7th	rom nearest tov	vn or city street	address of well if lo		city?				CONP
WATER	WELL OWN	IER: Ha	iriscope							
	#, St. Address, Box # : 103 W. 7th					Board of Agriculture, Division of Water Res			enuros	
ity, State,	1.7.14	Cor	ncordia, Kansa	s 67054		e de la companya de l		tion Number:		Source
LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF	COMPLETED WELL	37	# ELEY				
AN "X" IN	SECTION	BOX:							3	4
S1200116000	in a second	1	WELL'S STATI	C WATER LEVEL .	26.2	ft below land s	urface measured	on moldayly	1/31/95	11.
									umping	ann
Mare 1919	MM  -	- 71:	Est. Yield	A gpm: Well	water was	ft.	after	hours p	umping	. gpii
			Bore Hole Diar	neterin	to	3/ 	. and		n. to	ft.
W	1		WELL WATER	TO BE USED AS:	5 Public	water supply	8 Air condition			
	. swX	SE	1 Domesti			The state of the s		-	Other (Specify below	<b>v</b> )
10 mg/	. 3,4		2 Irrigation	4 Industrial	7 Lawn	and garden only	10 Monitoring v	vell		
Limanus			Was a chemica	l/bacteriological sam	ple submitted	to Department?	YesNo	; If ye	s, mo/day/yr sample wa	as 'su
			mitted		***************************************	V	Vater Well Disinfe	cted? Yes	No X	ζ
		SING USED:		5 Wrought iron	8 C	Concrete tile	CASING .	JOINTS: Glu	ed Clamped	
Steel	Y'	3 RMP (SI	7)	6 Asbestos-Cem		Other (specify bel	,		ded	
<b>₽</b> VC		4 ABS	,	7 Fiberglass				Thre	eaded $\mathbf{X}$ $\mathbf{X}$	• • • • •
ank casing	diameter .	<del></del>	.in. to	" ft., Dia		n. to	ft., Dia		in. to Sch. 40	ft
asing heigh	nt above lan	d surface	TO THE TAX	in., weight	· · · · · · · · · · · · · · · · · · ·	7 10	5./11. VVall tricknes	s or gauge	<b>VO.</b>	
		PERFORATION				PVC		sbestos-cem	_	
1 Steel 2 Brass		3 Stainless		5 Fiberglass					")	:
		4 Galvaniz TION OPE <u>NI</u> N		6 Concrete tile					pen hole)	
	inuous slot		ill slot		iauzed wrapp		8 Saw cut		11 None (open hole	e)
	ered shutter	_	y punched		/ire wrapped orch cut		9 Drilled hole			
CREEN-PE	RECRATED	INTERVALS	From	22 , ,	n	37 # =	om Other (spe	 د	to,	٠
			From	ft. t	0	ft Fr	om	ft	to,	IL
GR	AVEL PACE	(INTERVALS:	From ,	18 ft. t	0		om	ft.	to	ft
		. The state of the	From	ft. t	Quantities of the same and the control of	tt., Fr	om	ft.	to	ft
GROUT N	MATERIAL:		ement	2 Dement grout	(3)	Bentonite	4.Other	*		
out Interva	als: From.		ft. to 16	ft., From	16	ft. to18	ft., From		ft. to	ft
hat is the r	nearest sour	ce of possible	contamination:	-		10 Live	stock pens	14	Abandoned water well	
1 Septi	1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel stora		15	Oil well/Gas well	
2 Sewer lines 5 Cess pool						tilizer storage	6)	Other (specify below)		
3 Watertight sewer lines 6 Seepage pit				9 Feedyard 13		13 Inse	secticide storage			
rection from	<del></del>	NE	177101000		7		any feet?	350		
ROM	то		LITHOLOGIC	LOG	FRC	M TO	MW4	PLUGGING	INTERVALS	
0	5	Asphalt,					GeoCore # 10	12	Flush-mount Cover	
5		Gravel,	U D				KDHE # 050		Tag # 111702	
1	10.5		lium Brown	4000			KDIIE # 030	13037	1 ag π 111/02	****
10.5	10.5		lium Brown to Medium Br	AMPI				····		************
10.5	14		to Medium Br						,	
14 19	24		to Medium Br							
24	29	_	um Brown	O M M						
			2444 22 1 1 A							
									-	
							-			
				·						
CONTRAC	CTOR'S OR	LANDOWNER	S CERTIFICAT	10N: This water we	II was (1))co	nstructed, (2) red	constructed, or (3)	) plugged un	der my jurisdiction and	id was
mpleted on	(mo/day/ye	ar)	577	1/31/95		and this red	ord is true to the		nowledge and belief. K	
iter Well C	Contractor's I	License No		This Wate	r Well Recor	d was completed	on (mo/day/yr)			
der the bus	siness name	of	Geo	Core Services, Inc.		by (sign	ature)	Boll	Rell	
IL IOTEL IOT	ONO. Han burn		01 5405 00500	SIGNAL LOGUET					and the second second	