LOCATION OF WATER WELL:					
			on Numbe		
ounty: Rawlins	SW 1/4 SE 1/4 SW		25	T 5 S	R 31 E/W
stance and direction from nearest	town or city street address of well if located v	vithin city?			
	<u></u>				
WATER WELL OWNER: Gary					
R#, St. Address, Box # : Rt 2,				Board of Agriculture, Div	vision of Water Resources
ty, State, ZIP Code : Rext	ford, Ks 67753			Application Number:	20080453
LOCATE WELL'S LOCATON WI	ТН	470			
AN "X" IN SECTION BOX:		1/0	ft. ELE		
N	Depth(s) Groundwater Encountered 1			ft. 2 ft.	3ft.
i i	WELL'S STATIC WATER LEVEL	NA ft. b	elow land	surface measured on mo/day	/yr
	Pump test data: Well water				
NW NE					
w W	Est. Yield gpm: Well water	was		π. alter nours	pumping ypin
W	E Bore Hole Diameter 8 in. to WELL WATER TO BE USED AS: 5 Pi <u>1 Domestic 3 Feed lot 6</u> O	1/3	5	ft. and	n. to tt.
	WELL WATER TO BE USED AS: 5 Pr	ublic water su	pply	8 Air conditioning	11 Injection well
SW SE	<u>I Domestic 3 Feed lot 6</u> 0	il field water s	ирріу	9 Dewatering	12 Other (Specily below)
	2 Irrigation 4 Industrial 7 La				
	Was a chemical/bacteriological sample s	submitted to D	epartment	? Yes No X If yes	s, mo/day/yr sample was
S	submitted			ater Well Disinfected? Yes	
TYPE OF BLANK CASING USED	D: 5 Wrought Iron	8 Concre		CASING JOINTS: Glue	
_	IP (SR) 6 Asbestos-Cement				ded
2 PVC 4 AB	S 7 Fiberglass			Thre	aded
lank casing diameter 4.5	in. to 130 ft., Dia	in. to		ft., Dia	in. to ft.
asing height above land surface	18 in., weight	2.38	lbs./ft	t. Wall thickness or gauge No	248
YPE OF SCREEN OR PERFORAT	ION MATERIAL:	7 1	VC	10 Asbestos-cem	ent
1 Steel 3 Sta	inless steel 5 Fiberglass	8 1	RMP (SR)	11 Other (specify)
2 Brass 4 Gal	Ivanized steel 6 Concrete tile	9 /	ABS	12 None used (or	en hole)
CREEN OR PERFORATION OPE	NINGS ARE: 5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)
CREEN OR PERFORATION OPEN 1 Continuous slot	3 Mill slot 6 Wire v	wronnod			· · · · ·
				9 Drilled holes	
2 Louvered shutter	4 Key punched 7 Torch			9 Drilled holes 10 Other (specify)	
	4 Keypunched 7 Torch	cut	#	10 Other (specify)	to ft
	LS: From 130 ft. to	170	ft.	10 Other (specify) ft.	to ft.
CREEN-PERFORATED INTERVAI	LS: From 130 ft. to From ft. to	170	ft. 	10 Other (specify) From ft. From ft.	toft. toft.
	LS: From 130 ft. to From ft. to S: From 20 ft. to	170 170	ft. ft. ft.	10 Other (specify) From ft. From ft. From ft. From ft.	toft. toft.
GRAVEL PACK INTERVAL	LS: From 130 ft. to From ft. to S: From 20 ft. to From ft. to	170 170	ft. ft. ft. ft. ft.	10 Other (specify) From ft. From ft. From ft. From ft. From ft.	toft. toft. toft.
GRAVEL PACK INTERVAL	LS: From 130 ft. to From ft. to S: From 20 ft. to From ft. to	170 170	ft. ft. ft. ft. ft.	10 Other (specify) From ft. From ft. From ft. From ft. From ft.	toft. toft. toft.
GRAVEL PACK INTERVAL	LS: From 130 ft. to From ft. to S: From 20 ft. to From ft. to From ft. to Cement grout	170 170 170 3 Bentu	ft. ft. ft. ft. onite	10 Other (specify) From ft. From ft. From ft. From ft. From ft. 4 Other ft.	to ft. to ft. to ft.
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne irout Intervals From 0	LS: From 130 ft. to From ft. to S: From 20 ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From	170 170 170 3 Bentu	ft. ft. ft. ft. ft. <u>ft.</u>	10 Other (specify) From ft. From ft. From ft. From ft. From ft. From ft.	to ft. to ft. to ft. to ft. to ft.
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne irout Intervals From 0 /hat is the nearest source of possib	LS: From 130 ft. to From ft. to S: From 20 ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination:	170 170 3 Bentu ft. to	ft. ft. ft. ft. ft. 0nite	10 Other (specify) From ft. From ft. From ft. From ft. From ft. Stock pens 14 At	to ft. to ft. to ft. to ft. pandoned water well
GRAVEL PACK INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne Grout Intervals From 0 What is the nearest source of possib 1 Septic tank	LS: From 130 ft. to From ft. to S: From 20 ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy	170 170 3 Bente ft. to	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. From ft. From ft. From ft. From ft. Stock pens 14 At Istorage 15 Other	to ft. to ft. to ft. to ft. ft. to ft. pandoned water well well/ Gas well
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines	LS: From 130 ft. to From ft. to S: From 20 ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage	170 170 3 Bente ft. to lagoon	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. From ft. From ft. From ft. From ft. From ft. Storage 14 Attributer 15 Gibborge 16	toft. toft. toft. toft. ft. toft. pandoned water well s well/ Gas well ther (specify below)
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines	LS: From 130 ft. to From ft. to S: From 20 ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy	170 170 3 Bente ft. to lagoon	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Stock pens 14 Attack 15 Storage 16 Octocicide storage 16	to ft. to ft. to ft. to ft. ft. to ft. pandoned water well well/ Gas well
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne frout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irrection from well?	LS: From 130 ft. to From ft. to S: From 20 ft. to From ft. to From ft. to At cement 2 Cement grout ft. to 20 ft. From From 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar	170 170 3 Bentu ft. to lagoon d	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage storage ny feet? storage	toft. toft. toft. toft. toft. pandoned water well i well/ Gas well ther (specify below) None
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne irout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE	LS: From 130 ft. to From ft. to From 20 ft. to From ft. to From ft. to At cement 2 Cement grout ft. to 20 ft. From From 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar	170 170 3 Bente ft. to lagoon	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage Secticide storage Storage PLUGGING I	toft. toft. toft. toft. ft. toft. pandoned water well I well/ Gas well ther (specify below) None NTERVALS
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne irout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 S	LS: From 130 ft. to From ft. to From 20 ft. to From ft. to From ft. to At cement 2 Cement grout ft. to 20 ft. From From 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface	170 170 3 Bente ft. to lagoon d	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Storage 16 Or <td>toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks</td>	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5	LS: From 130 ft. to From ft. to From 20 ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface LOESS	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 3 Watertight sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 1 25 33 0	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface LOESS Clay w/caliche strks	170 170 3 Bente ft. to lagoon d	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Storage 16 Or <td>toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks</td>	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to At cement 2 Cement grout ft. to 20 ft. From From ft. to A Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface LOESS Clay w/caliche strks Fine & med sand w/clay &	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne irout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38 1	LS: From 130 ft. to From ft. to From 20 ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface Loess Clay w/caliche strks Fine & med sand w/clay & Caliche strks	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne forout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irrection from well? FROM TO CODE 0 2 2 2 25 1 25 33 6 33 38 60 0	LS: From 130 ft. to From ft. to From 20 ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface Loess Clay w/caliche strks Fine & med sand w/clay & Caliche strks	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38 60 6 60 72 1	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface Loess Clay w/caliche strks Fine & med sand w/clay & Caliche strks Caliche & clay w/sand strks Fine & med sand w clay &	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne irout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irrection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38 60 6 60 72 1	LS: From 130 ft. to From ft. to From 20 ft. to From ft. to From ft. to At cement 2 Cement grout ft. to 20 ft. From From ft. to A Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyare LITHOLOGIC LOG Surface LOESS Clay w/caliche strks Fine & med sand w/clay & Caliche strks Fine & med sand w clay & Caliche strks Fine & med sand w clay & Caliche strks	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38 60 6 60 72 1 72 87	LS: From 130 ft. to From ft. to From 20 ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface Loess Clay w/caliche strks Fine & med sand w/clay & Caliche strks Fine & med sand w clay & Caliche strks Fine & med sand w clay & Caliche strks Caliche strks	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	to
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38 60 6 60 72 1 72 87	LS: From 130 ft. to From ft. to From 20 ft. to From ft. to From ft. to At cement 2 Cement grout ft. to 20 ft. From From ft. to A Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyare LITHOLOGIC LOG Surface LOESS Clay w/caliche strks Fine & med sand w/clay & Caliche strks Fine & med sand w clay & Caliche strks Fine & med sand w clay & Caliche strks	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38 60 60 72 6 72 87 6 87 100 6	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyard LITHOLOGIC LOG Surface LOESS Clay w/caliche strks Fine & med sand w/clay & Caliche strks Caliche strks Fine & med sand w clay & Caliche strks Caliche strks Caliche strks Caliche strks Caliche strks Caliche strks Caliche strks Fine & med sand w clay & Caliche strks Caliche strks Caliche strks Clay & caliche w/sand strks Fine to some med sand w/	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38 60 60 72 6 72 87 6 87 100 6	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyard LITHOLOGIC LOG Surface LOGS Clay w/caliche strks Fine & med sand w/clay & Caliche strks Caliche strks Caliche strks Caliche strks Caliche strks Caliche strks Clay & caliche w/sand strks Fine to some med sand w/ Clay & caliche strks	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 0 33 38 1 33 38 1 33 38 0 38 60 0 60 72 1 72 87 0 87 100 1 0 120 0	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From From ft. to at cement 2 Cement grout ft. to 20 ft. From ft. to 20 ft. From ft. to 20 ft. From From ft. to A Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface LOGS Clay w/caliche strks Fine & med sand w/clay & Caliche strks Caliche strks Caliche strks Caliche strks Clay & caliche w/sand strks Fine to some med sand w/ Clay & caliche strks Clay & caliche strks	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	to
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 0 33 38 60 60 72 1 72 87 0 87 100 1 100 120 0	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface LOGS Clay w/caliche strks Caliche strks Caliche strks Caliche strks Caliche strks Clay & caliche w/sand strks Fine to some med sand w/ Clay & caliche strks Fine to some med sand w/ Clay & caliche strks Clay & caliche strks Fine sand w/clay strks	170 170 3 Bentu ft. to lagoon d FROM	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. Storage 14 At I storage 15 Oi Storage 16 Or Secticide storage 16 Or Secticide storage 16 Or PLUGGING I Lenses & caliche st Fine to some med st Some med st	toft. toft. toft. toft. ft. toft. pandoned water well well/ Gas well ther (specify below) None NTERVALS rks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 0 33 38 60 60 72 1 72 87 0 87 100 1 100 120 0 120 140 1 140 160	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface LOGS Clay w/caliche strks Fine & med sand w/clay & Caliche strks Caliche strks Caliche strks Clay & caliche w/sand strks Fine to some med sand w/ Clay & caliche strks Fine sand w/clay strks Fine to some med sand w/clay	170 170 3 Bentu ft. to lagoon d FROM 160 165 	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. From ft. From ft. From ft. From ft. 4 Other ft. From stock pens 14 At storage 15 O tilizer storage 16 O ccticide storage py feet? PLUGGING I Lenses & caliche st Fine to some med s Yellow ochre	toft. toft. toft. toft. toft. ft. toft. pandoned water well i well/ Gas well ther (specify below) None NTERVALS rks and w/clay strks
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 /hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38 60 6 60 72 1 72 87 6 87 100 1 100 120 6 120 140 1 140 160 1 CONTRACTOR'S OR LANDOWI	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface Loess Clay w/caliche strks Fine & med sand w/clay & Caliche strks Caliche strks Caliche strks Caliche strks Clay & caliche w/sand strks Fine to some med sand w/ Clay & caliche strks Fine sand w/clay strks Fine sand w/clay strks Fine sand w/clay strks Fine to some med sand w/clay NER'S CERTIFICATION: This water well water NER'S CERTIFICATION: This water well water Value of the strue o	170 170 3 Bentu ft. tc lagoon d FROM 160 165 5 (1) constructor	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. From ft. From ft. From ft. 4 Other ft. From stock pens 14 At i storage 15 O tilizer storage 16 O tilizer st	toft. toft. toft. toft. toft. toft. ft. toft. ft. toft. pandoned water well i well/ Gas well ther (specify below) None NTERVALS rks and w/clay strks er my jurisdiction and was
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 that is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines rection from well? FROM TO CODE 0 2 5 2 25 1 25 33 6 33 38 60 60 72 1 72 87 6 87 100 1 100 120 6 100 100 100 100 100 100 100 100 100 100	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface LOGS Clay w/caliche strks Caliche strks Clay & caliche w/sand strks Fine to some med sand w/ Clay & caliche strks Fine to some med sand w/ Clay & caliche strks Fine sand w/clay strks Fine sand w/clay strks Fine to some med sand w/ Clay & caliche strks Clay & caliche strks Clay & caliche strks Clay & caliche strks Clay & caliche strks Fine to some med sand w/ Clay & caliche w/sand strks Fine sand w/clay strks Fine to some med sand w/clay NER'S CERTIFICATION: This water well was 10/10/08	170 170 3 Bentu ft. to lagoon d FROM 160 165 5 (1) constructs and this	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. From ft. From ft. From ft. From ft. 4 Other ft. From stock pens 14 At i storage 15 O tilizer storage 16 O ceticide storage py feet? PLUGGING I Lenses & caliche st Fine to some med s Yellow ochre	toft. toft. toft. toft. toft. toft. toft. pandoned water well i well/ Gas well ther (specify below) None NTERVALS rks and w/clay strks and w/clay strks er my jurisdiction and was dge and belief_ Kansas
CREEN-PERFORATED INTERVAL GRAVEL PACK INTERVALS GROUT MATERIAL: 1 Ne rout Intervals From 0 (hat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines irection from well? FROM TO CODE 0 2 25 1 25 33 6 33 38 1 33 38 1 38 60 6 60 72 1 72 87 6 87 100 1 100 120 6 100 120 7 100 100 100 100 100 100 100 100 100 100	LS: From 130 ft. to From ft. to From ft. to From ft. to From ft. to at cement 2 Cement grout ft. to 20 ft. From ble contamination: 4 Lateral lines 7 Pit privy 5 Cess pool 8 Sewage 6 Seepage pit 9 Feedyar LITHOLOGIC LOG Surface Loess Clay w/caliche strks Fine & med sand w/clay & Caliche strks Caliche strks Clay & caliche w/sand strks Fine to some med sand w/ Clay & caliche strks Fine sand w/clay strks Fine sand w/clay strks Fine to some med sand w/clay NER'S CERTIFICATION: This water well was	170 170 3 Bentu ft. tc lagoon d FROM 160 165 5 (1) constructu and this This W	ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	10 Other (specify) From ft. From ft. From ft. From ft. From ft. 4 Other ft. From stock pens 14 At i storage 15 O tilizer storage 16 O ceticide storage py feet? PLUGGING I Lenses & caliche st Fine to some med s Yellow ochre	toft. toft. toft. toft. toft. toft. toft. pandoned water well i well/ Gas well ther (specify below) None NTERVALS rks and w/clay strks and w/clay strks er my jurisdiction and was dge and belief_ Kansas

Reply (4: (785) 296 3363 FAX (785) 296-5509
DEPARTA 1000 S. W. Juckson, Ste. 420
Tapeka, KS 66612-1367
Saudi a C
KANSAS DEPARTMENT OF HEALTH & ENVIRONMENT
OIL FIELD WATER SUPPLY WELLS - LETTER OF TRANSFER
LENVI-O
$c = \tau_{\alpha}$
1, Davy F. Changer of Rf-1 Bax 33
(Landowner's address)
Tex man the landowner on which a water well is located in
(City) (State)
the <u>Sw</u> quarter of the <u>SE</u> quarter of the <u>Sw</u> quarter in Section <u>25</u> . Township <u>5</u> .
Range 31 EOR in <u>RAWLINS</u> County, Kansas which is approximately
600 feet north south, and 3430 feat eastwest of the apparent SE section
corner. The water well was drilled in 10/08 (month/year).
I hereby request that <u>Mc Coy Atroleom Corporation</u> leave the water well, (Operator name)
(Onasular nume)
(Operator name)
the third of the second and built
which was drilled by Temporary Water Permit # 20080453 , unplugged, and I will
assume all responsibility for the plugging of said water well in accordance with the requirements
of the Kansas Department of Health and Environment regulation K.A.R. 28-30-7.

LANDOWNER 08/12/08 (Date) (Signiture)

IF ADDITIONAL LANDOWNER

OPERAT (Signature)

By: (Agent)

(Signature)

(Date)

(Print)

WWC-8

10:1316636361

S DUFARTALEA	Kepiy 10: (785) 296-3565 FAX (783) 296-5509 Huropu of Water - Lieskagy Section 1000 S. W. Jackson, Stc. 420 Fopeka, KS fift(12-1367
C R	ANSAS DEPARTMENT OF HEALTH & ENVIRONMENT ASSIGNMENT OF WATER WELL TO LANDOWNER
PERMIT NO.	20080453
This agreeme	at between Mc Coy Atrodeum Corporation 8080 E. Central #300 Wich, ta, KS 67806 (Operator name and address)
and Geo	4 I. Cheney RP-1 Br 33 Repferd Ks, (Landowser name and address)
Certifies that	said Landowner hereby accepts the water well drilled as a temporary source of
water for an o	il well drilled for Operator located approximately <u>10-10-08</u>
in Section	5 Township 5 Range 31 FW of Back / Co.
County, Kans	as. Landowner hereby agrees that said water well will be for domestic use only
and when no	o longer needed, agrees to plug the water well in accordance with the State
Regulation K	AR 28-30-7 .
Signed this	8 day of Dec, , 2005.
LANDOWN	OPERATOR:

(Signature) (Signature) (Date) (Date) (Date) (Pring)

(Signature)

(Date)

-

By: (Agent)

IF ADDITIONAL LANDOWNER:

(Signature)

(Date)

(Print)

WWC-7