

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Rawlins</u>	<u>NW 1/4 SW 1/4 NE 1/4</u>	<u>31</u>	<u>T 5 S</u>	<u>R 33 EW</u>

Distance and direction from nearest town or city street address of well if located within city?

12 Miles North, 1/2 mile west of Colby

2 WATER WELL OWNER:	<u>Gerry White</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	<u>Rt. 3 Box 197</u>	Application Number:
City, State, ZIP Code :	<u>Colby, Ks. 67701</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>210</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>130</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>8</u> in. to <u>210</u> ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No. <u>X</u> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) Welded
2 PVC	4 ABS	7 Fiberglass	Threaded
Blank casing diameter <u>4.5</u> in. to <u>170</u> ft. Dia	<u>18</u> in. weight	<u>2.38</u> lbs./ft. Wall thickness or gauge No.	<u>248</u>
Casing height above land surface			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From <u>170</u> ft. to <u>210</u> ft.	From ft. to ft.	
GRAVEL PACK INTERVALS:	From <u>20</u> ft. to <u>210</u> ft.	From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 <u>Bentonite</u>	4 Other
GROUT INTERVALS:	From <u>0</u> ft. to <u>20</u> ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.
What is the nearest source of possible contamination:	<u>None</u>	10 Livestock pens	14 Abandoned water well	
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well?		How many feet?		

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Surface	116	117	Caliche
3	15	Loess	117	123	Clay & Sand Strks.
15	43	Clay Caliche & Sand Strks.	123	130	Med. Sand
43	50	Cemented Sand, Clay & Caliche	130	136	Fine Sand/Clay Lysr.
50	54	Sand	136	142	Clay
54	61	Sand & Clay Strks.	142	144	Fine Sand
61	63	Med. Sand	144	170	Clay & Sand Lenses
63	67	Caliche & Sand Strks.	170	196	Clay & Fine Sand Strks.
67	73	Tight Med. Sand	196	204	Sandy Clay
73	78	Clay	204	207	Sand
78	90	Sand & Cemented Sand Strks.	207	210	Ochre
90	97	Clay & Sand Strks.			
97	100	Med. Sand			
100	102	Caliche			
102	116	Tight Sand/Clay Strks.			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12-11-93</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>554</u> This Water Well Record was completed on (mo/day/yr) <u>12-15-93</u> under the business name of <u>Woofter Pump & Well, Inc.</u> by (signature) <u>Gerry White</u>
--