

| | | | | |
|---------------------------|-------------------------|----------------|-----------------|--------------|
| 1 LOCATION OF WATER WELL: | Fraction | Section Number | Township Number | Range Number |
| County: Rawlins | C S/2 1/4 SE 1/4 NW 1/4 | 29 | T 5 S | R 36 EW |

Distance and direction from nearest town or city street address of well if located within city?

| | |
|--|---|
| 2 WATER WELL OWNER: Ruth M. Briney Tr White & Ellis Dr., Inc. | Board of Agriculture, Division of Water Resources |
| RR#, St. Address, Box #: 3002 Co. Rd. 3 Box 1586 | |
| City, State, ZIP Code: Brewster, Ks. 67732 Great Bend, Ks. 67530 | Application Number: 950292 |

| | |
|--|--|
| 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | 4 DEPTH OF COMPLETED WELL: 220 ft. ELEVATION: |
| | Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL ... 112 ... ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter ... 8 ... in. to ... 220 ... ft., and ... in. to ... ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X |

| | | | |
|---|--|--------------------|--------------------------------|
| 5 TYPE OF BLANK CASING USED: | 5 Wrought iron | 8 Concrete tile | CASING JOINTS: Glued X Clamped |
| 1 Steel | 3 RMP (SR) | 6 Asbestos-Cement | 9 Other (specify below) |
| 2 PVC | 4 ABS | 7 Fiberglass | Welded |
| Blank casing diameter ... 4.5 ... in. to ... 180 ... ft., Dia | | | Threaded |
| Casing height above land surface ... 18 ... in., weight ... 2.38 ... lbs./ft. Wall thickness or gauge No. ... 248 | | | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: | 7 PVC | 10 Asbestos-cement | |
| 1 Steel | 3 Stainless steel | 5 Fiberglass | 8 RMP (SR) |
| 2 Brass | 4 Galvanized steel | 6 Concrete tile | 9 ABS |
| SCREEN OR PERFORATION OPENINGS ARE: | 5 Gauzed wrapped | 8 Saw cut | 11 None (open hole) |
| 1 Continuous slot | 3 Mill slot | 6 Wire wrapped | 9 Drilled holes |
| 2 Louvered shutter | 4 Key punched | 7 Torch cut | 10 Other (specify) |
| SCREEN-PERFORATED INTERVALS: | From ... 180 ... ft. to ... 220 ... ft., From ... ft. to ... ft. | | |
| GRAVEL PACK INTERVALS: | From ... 20 ... ft. to ... 220 ... ft., From ... ft. to ... ft. | | |

| | | | | |
|---|-------------------|-------------------------|------------------------|--------------------------|
| 6 GROUT MATERIAL: | 1 Neat cement | 2 Cement grout | 3 Bentonite | 4 Other |
| Grout Intervals: From ... 0 ... ft. to ... 20 ... ft., From ... ft. to ... ft., From ... ft. to ... ft. | | | | |
| What is the nearest source of possible contamination: | 10 Livestock pens | 14 Abandoned water well | | |
| 1 Septic tank | 4 Lateral lines | 7 Pit privy | 11 Fuel storage | 15 Oil well/Gas well |
| 2 Sewer lines | 5 Cess pool | 8 Sewage lagoon | 12 Fertilizer storage | 16 Other (specify below) |
| 3 Watertight sewer lines | 6 Seepage pit | 9 Feedyard | 13 Insecticide storage | |
| Direction from well? West | | | How many feet? 150' | |

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|-----|--------------------------------|------|-----|-------------------------------|
| 0 | 3 | Surface | 115 | 117 | Fine Sand |
| 3 | 21 | Sandy Clay & Caliche Strks. | 117 | 134 | Sandy Clay/Caliche & Cemented |
| 21 | 43 | Fine to Med. Sand w/Clay Strk | 134 | 137 | Chirt Strks |
| 43 | 45 | Sandstone | 137 | 142 | Sticky Clay |
| 45 | 51 | Sand w/Sandstone | 142 | 169 | Loose Fine Sand |
| 51 | 54 | Sandstone | 169 | 181 | Sandy Clay w/Sand Strks. |
| 54 | 62 | Sandy Clay w/Caliche & Sand Ln | 181 | 197 | Fine Sand |
| 62 | 67 | Fine to Med. Sand | 197 | 210 | Fine Sand w/Clay Strks. |
| 67 | 69 | Caliche | 210 | 220 | Fine to Med. Sand w/Clay Str |
| 69 | 75 | Clay w/Sand Strks. | 220 | | Ochre |
| 75 | 81 | Sticky Clay/Brown | | | |
| 81 | 97 | Sandy Clay w/Cemented Strks. | | | |
| 97 | 104 | Cemented Sand | | | |
| 104 | 112 | Fine to Med. Sand | | | |
| 112 | 115 | Clay & Caliche/Sand Strks. | | | |

| |
|--|
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-14-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 9-18-95 under the business name of Woofter Pump & Well, Inc. by (signature) Jay C. Woofter |
|--|