WATEI	R WELL	RECORD	Form WWC-5	Di	vision of V	Vater Res	ources App.	No.			
1 LOCA County: R		WATER WELL:	Fraction 4 SE 4	SW 14	Section N		Townshi				
		Well Location: if unk	nown, distance & direction	SW 74						122 123 44	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here \(\Boxed{\pi}\). Global Positioning System (GPS) information: Latitude: (in decimal degrees)											
North of l	Brewster 14	l miles-1 ¼ miles v	vest-1 ½ north-1/2 west-	south	Longitude: (in decimal degrees)						
North of Brewster 14 miles-1 1/4 miles west-1 1/2 north-1/2 west-south Longitude: (in decimal Elevation:									a degrees)		
	R WELL	OWNER - Ruell R			A FINAL) 83 TT N	AD 27				
2 WATER WELL OWNER: Buell Briney RR#, St. Address, Box # : 3002 Co Rd 3						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:					
City, State, ZIP Code : Brewster, KS 67732						GPS unit (Make/Model:					
The state of the s						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
							m, \square 3-5 m			ivey	
3 LOCA	TE WELL				133t. 7 tecuri	<u>10 y</u> . Land <3	m, = 33 m	, = 3 13 111,	- 13 III		
	AN "X" II		COMPLETED WELL	200			Cı				

!	ION BOX:	Depth(s) Ground	water Encountered (1)		ft	. (2)		ft. (3)		It.	
Х	N	WELL'S STATI	C WATER LEVEL na	ft	. below la	nd surface	e measured o	on mo/day/y	/r		
l l	!	Pun	np test data: Well water	was	f	t. after	ŀ	nours pump	ing	gpm	
l L_NW		EST. YIELD	gpm: Well water	was	f	t. after	1	nours pump	ing	gpm	
WELL WATER TO BE USED AS: Dephlique						ft. after hours pumping gpm ter supply Geothermal Injection well					
W -	WELL WATER TO BE USED AS: Public w X Domestic Feedlot Oil field water su						21 111tti	□ Other		halami	
						ply					
sw se Irrigation Industrial Domestic-lawn & garden Monitoring well											
Was a chemical/bacteriological sample submitted to Department? ☐ Yes x No											
S If yes, mo/day/yr sample was submitted											
1	mile	Water Well Disi	nfected? x Yes 🗆 No								
5 TYPE	OF CASING	OSED: LI Steel	□ □ PVC □ Otner								
CASING JUIN 15:											
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 4.5 in. to 240 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 18 in., Weight 2.38 lbs./ft. Wall thickness or gauge No248											
Casing neight above land surface 18 in., Weight 2.38 lbs./tt. Wall thickness of gauge No248											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)											
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify)											
		r	☐ Wire wrapped ☐	X Saw cu	uı L	1 Other (s	noics L	a None (ope	on noic)		
		ED INTERVALS:	- 340		١٨	C. Th		C.	4 .	C.	
CREET-1	LIGITATI	D INTERVALS.	From	ft to		ft F1	rom	ft	to	ft.	
GR	AVEL PACK	INTERVALS:	From 20	ft to	280	ft F1	rom	ft	to	ft	
	TIVEE TARGE	CHAIDRANGS.	From 240 From 20 From	ft to		ft F	rom	ft.	to	ft.	
c cpor	# 14 # # P.D.T.	4 -		- Ki to							
	T MATERL	AL: LI Neat ceme	nt	⊠ Beni	tonite	☐ Other					
Grout Inter		om 0 ft. to		ft.	to	It.	From		II. 10	II.	
		ce of possible contam		7.	1		4		\41 (am a a	:fr. h.ala	
	otic tank	Lateral li		Livesto			cticide storag idoned water		mer (spec	ify below)	
	wer lines	☐ Cesspool	☐ Sewage lagoon ☐	☐ Fuel sto					10		
1		r lines	Ž				/ell/gas well				
	n from well				from well						
FROM	ТО	LITHC	LOGIC LOG	FROM	OT 1		O. LOG (cor		GGING IN	TERVALS	
0	2	Surface		245	257		caliche w/sa				
2	30	Loess	WARTER STATE OF THE STATE OF TH	257	268	Fine sa	ndw/clay & c	caliche strks			
30	46	Clay w/caliche strks		268	278	Fine sa	nd				
46	57	Fine to med sand w/cla	ny & caliche strks	278	290	Yellow	ochre/black	shale			
57	85	Caliche & clay w/sand	strks								
85	206	Fine & med sand w.ca	liche & clay strks						reduce about the		
206	211	Caliche									
211	236	Fine to some med w/cl	ay & caliche strks								
236	238	Caliche	-								
238	245	Fine sand w/clay & ca	liche								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ⊠ constructed, □ reconstructed, or □ plugged											
under my jurisdiction and was completed on (me/day/year) 9/16/10 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. (554) or 783 . This Water Well Record was completed on (mg/day/year) 9-26-70											
under the business name of Woofter Pump & Well Inc. by (signature)											
1			e correct answers. Send three co	nies (white	blue nink	to Kansas	Department	of Health an	d Environm	ent. Bureau of	
Water, Geol	ogy Section, 1	000 SW Jackson St., Su	ite 420. Topeka. Kansas 66612	2-1367. Te	lephone 783	5-296-5522	Send one to	o WATER V	VELL OWN	ER and retain	
Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.											