	Number Range Number S R 4
2 WELL OWNER: Last Name Champlin First Shane Street or Rural Address where well is located (if "utknown, data flavours" address 1467 Vale Rd	ocated (if unknown, distance and towner's address, check here: 0.62712
Superior Street or Rural Address where well is located of unknown, distart Business: Address	Cated (if unknown, distance and towner's address, check here:
Address	2.62712
Address City Concordia Statist KS ZIP 66901	7.713432
SECTION BOX: NELLY STATIC WATER LEVEL: 99	7.713432
SECTION BOX: SECT	7.713432
Depth(s) Groundwater Encountered: 1) S f. C S f. C S f. S C S f. S C S F. S S S S S S	7.713432
Darm: WGS 84 ZNAD 83 NAD 2 N	☑ NAD 83 ☐ NAD 27 ngitude: odel:
WELL'S STATIC WATER LEVIEL	ngitude: odel:
NW - NW	led? Yes No) Topographic Map ft. Ground Level TOC y GPS Topographic Map AR pply: lease d Geotechnical ny bores? forizontal Vertical face Discharge Inj. of Water lbmitted: Clamped Welded Threaded n. to ft. o 214 ify) rom ft. to ft. ft. Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
Pump test data: Well water was	Insecticide Storage AB
Well water was	ft. Ground Level TOC y GPS Topographic Map AR pply: lease d Geotechnical ny bores? forizontal Vertical face Discharge Inj. of Water Clamped Welded Threaded n. to ft. o 214 ify) rom ft. to ft. rom ft. Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
Well water was	ft. Ground Level TOC y GPS Topographic Map AR pply: lease d Geotechnical ny bores? forizontal Vertical face Discharge Inj. of Water Clamped Welded Threaded n. to ft. o 214 ify) rom ft. to ft. ft. Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
S Bore Hole Diameter: 22 in. to 100 ft. and	pply: lease
S	pply: lease
Negative Note Not	pply: lease
Topic Steel Steel Potential Pote	d Geotechnical hy bores? Iorizontal Vertical face Discharge Inj. of Water bmitted: Clamped Welded Threaded n. to ft. p214 ify) rom ft. to ft. rom ft. to ft. Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
Domestic: S. Public Water Supply: well ID	d Geotechnical hy bores? Iorizontal Vertical face Discharge Inj. of Water bmitted: Clamped Welded Threaded n. to ft. p214 ify) rom ft. to ft. rom ft. to ft. Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
Lawn & Garden	d Geotechnical hy bores? Iorizontal Vertical face Discharge Inj. of Water Ibmitted: Inj. of Water Clamped Welded Threaded h. to ft. h. 214 ify) ft. rom ft. to ft. h. ft. Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
Livestock	ay bores?
2.	Inj. of Water Ibmitted: Ibmitted: Iclamped Welded Threaded In. to
3. Feedlot	face Discharge
A. Industrial Recovery Injection 13. Other (specify):	ify) rom ft. to ft. rom ft. to ft. o ft.
Water well disinfected?	Clamped Welded Threaded n. to
Water well disinfected?	Clamped Welded Threaded n. to
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From	ify)
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From	ify)
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From	ify)
□ Steel □ Stainless Steel □ Fiberglass ☑ PVC □ Other (Specify) □ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: □ Continuous Slot ☑ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From	ify)
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: □ Continuous Slot ☑ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From	rom ft. to ft. from ft. to ft. from ft. to ft. ft. from ft.
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From .79 ft. to .99 ft., From	rom
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)	rom
SCREEN-PERFORATED INTERVALS: From	romft. toft. Dft. Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
GRAVEL PACK INTERVALS: From	romft. toft. Dft. Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
GROUT MATERIAL:	Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
Nearest source of possible contamination: Septic Tank	Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
Nearest source of possible contamination: Z Septic Tank	Insecticide Storage Abandoned Water Well Oil Well/Gas Well ft.
✓ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☐ Other (Specify) ☐ Distance from well? 200 ☐ ft. 10 FROM TO LITHOLOGIC LOG FROM TO LITHOL LOG (cont.) or PLUGGING IN 0 2 Topsoil 93 98 Sandstone 2 23 Clay, silty 98 100 Shale, red 23 48 Shale, gray Shale, gray	Abandoned Water Well Oil Well/Gas Well ft.
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Distance from well? 200 ft. 10 FROM TO LITHOLOGIC LOG FROM TO LITHOL LOG (cont.) or PLUGGING IN 0 2 Topsoil 93 98 Sandstone 2 23 Clay, silty 98 100 Shale, red 23 48 Shale, gray Shale, gray	Oil Well/Gas Well ft.
Other (Specify Direction from well? S Distance from well? 200 ft.	ft.
10 FROM TO LITHOLOGIC LOG FROM TO LITHOLOG (cont.) or PLUGGING IN 0 2 Topsoil 93 98 Sandstone 2 23 Clay, silty 98 100 Shale, red 23 48 Shale, gray Shale, gray	ft.
10 FROM TO LITHOLOGIC LOG FROM TO LITHOLOG (cont.) or PLUGGING IN 0 2 Topsoil 93 98 Sandstone 2 23 Clay, silty 98 100 Shale, red 23 48 Shale, gray Shale, gray	ont) or PLUGGING INTERVALE
0 2 Topsoil 93 98 Sandstone 2 23 Clay, silty 98 100 Shale, red 23 48 Shale, gray Shale, red	CHAPTER VALVE CONTRACT TO COMPANY TO COMPANY OF A PROPERTY
2 23 Clay, silty 98 100 Shale, red 23 48 Shale, gray 98 100 Shale, red	
23 48 Shale, gray	
148 152 Sandstone	
52 65 Shale, gray	
65 72 Sandstone	
72 84 Shale, gray Notes:	
84 86 Sandstone 86 93 Shale, gray	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\sqrt{\omega}\) constructed, \(\sqrt{\omega}\) reconstructed, or \(\sqrt{\omega}\)	reconstructed, or I plugged
under my jurisdiction and was completed on (mo-day-year) .09/23/2014 and this record is true to the best of my knowledge an	st of my knowledge and belief.
under my jurisdiction and was completed on (mo-day-year) .09/23/20.14 and this record is true to the best of my knowledge at Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo-day-year) .09/24/20.	/day-year) .09/24/20.14
under the business name of Peterson Irrigation, Inc.	ACCO
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-	<u>ucted</u> wen. 6612-1367. Telephone 785-296-3565
	KSA 82a-1212